

**Supplementary Material 2.** References to literature containing records of fungi in Costa Rica that are cited in the Excel file.

1. A Global Information System for the Biodiversity of Lichens. 2018. Recuperado de [https://lichens.hehoe.de/lichens/portalpages/portalpage\\_checklists\\_switch.htm](https://lichens.hehoe.de/lichens/portalpages/portalpage_checklists_switch.htm).
2. Accioly T, Sousa JO, Moreau PA, Lécure C, Silva BDB, Roy M, Gardes M, Baseia IG, Martín MP. 2019. Hidden fungal diversity from the Neotropics: *Geastrum hirsutum*, *G. schweinitzii* (Basidiomycota, Geastrales) and their allies. PLoS ONE 14: 1-25. doi: 10.1371/journal.pone.0211388.
3. Ahti T. 2000. Cladoniaceae. Flora Neotropica Monograph 78: 1-362. Botanical Garden, New York.
4. Aime MC, Phillips-Mora W. 2005. The causal agents of witches' broom and frosty pod rot of cacao (chocolate, *Theobroma cacao*) form a new lineage of Marasmiaceae. Mycologia 97: 1012-1022. doi: 10.1080/15572536.2006.11832751.
5. Aime MC. 2006. Toward resolving family-level relationships in rust fungi (Uredinales). Mycoscience 47: 112-122.
6. Akinsanmi OA, Nisa S, Jeff-Ego OS, Shivas RG, Drenth A. 2017. Dry flower disease of Macadamia in Australia caused by *Neopestalotiopsis macadamiae* sp. nov. and *Pestalotiopsis macadamiae* sp. nov. Plant Disease 101: 45-53.
7. Aldrich-Wolfe L. 2007. Distinct mycorrhizal communities on new and established hosts in a transitional tropical plant community. Ecology 88: 559-566.
8. Alfredo DS, Baseia IG, Accioly T, Silva BDB, Moura MP, Marinho P, Martín MP. 2017. Revision of species previously reported from Brazil under *Morganella*. Mycological Progress 16: 965–985. doi: 10.1007/s11557-017-1332-y.
9. Alizaga R, Flores J. 1983. Efecto de la temperatura y del sustrato sobre la manifestación de hongos patógenos durante el ensayo de germinación en semilla de arroz (*Oryza sativa* L.).
10. Alves A, Crous PW, Correia A, Phillips AJL. 2008. Morphological and molecular data reveal cryptic speciation in *Lasiodiplodia theobromae*. Fungal Diversity 28: 1-13.
11. Alves JL, Barreto RW, Pereira OL, Soares DJ. 2010. Additions to the mycobiota of the invasive weed *Miconia calvescens* (Melastomataceae). Mycologia 102: 69–82. DOI: 10.3852/09-070
12. Alves RF, Junior NSM, Spósito MB. 2018. Preservation of the urediniospores of *Phakopsora euvitis*, the causal agent of grape leaf rust. European Journal of Plant Pathology 150: 1103-1106.
13. Ammirati J, Garnica S, Halling RE, Mata M, Mueller GM, Carranza J. 2007. New *Cortinarius* species associated with *Quercus* and *Comarostaphylis* in Costa Rica. Can J Bot 85: 794-812. doi: 10.1139/B07-067.
14. Ammirati JF, Halling RE, Corrales A, Ovrebo CL, Niskanen T, Liimatainen K, Garnica S. 2021. Nomenclatural novelties: JF Ammirati, R. Halling, A. Corrales, CL Ovrebo, T. Niskanen, K. Liimatainen & S. Garnica. Index Fungorum 474: 1-4.
15. Ammirati JF, Liimatainen K, Niskanen T, Halling RE, Carranza J. 2014. Nomenclatural novelties: Tuula Niskanen. Index Fungorum 197: 1.
16. Amtoft A, Halling RE, Mueller GM. 2002. *Tylopilus alkalixanthus*, a new species of Boletaceae from Costa Rica and Japan. Brittonia 54: 262-265.
17. Aptroot A, Cáceres M. 2014. A refined species concept in the tropical lichen genus *Polymeridium* (Trypetheliaceae) doubles the number of known species, with a worldwide key to the species. Nova Hedwigia 98: 1-29.
18. Aptroot A, Ertz D, Dos J, Silva R, Grube M, Cáceres M, Da E, Cáceres S. 2015. The phylogenetic position of *Coniarthonia* and the transfer of *Cryptothecia miniata* to *Myriostigma* (Arthoniaceae, lichenized ascomycetes). Phytotaxa 218: 128-136.
19. Aptroot A, Lücking R, Sipman HJM, Umaña L, Chaves JL. 2008. *Pyrenocarporus* lichens with bitunicate asci. A first assessment of the lichen biodiversity inventory in Costa Rica. Bibliotheca Lichenologica 97: 1-162.
20. Aptroot A, Lücking R. 2016. A revisionary synopsis of the Trypetheliaceae (Ascomycota: Trypetheliales). The Lichenologist 48: 763-982.
21. Aptroot A, Saipunkaew W, Sipman HJM, Sparrius L, Wolseley P, Saipunkaew A, Wolseley L. 2007. New lichens from Thailand, mainly microlichens from Chiang Mai. Fungal Diversity 24: 75-134.

22. Aptroot A, Sipman HJM, Käffer M, Martins S, Ferraro L, Cáceres M. 2014. A world key to *Stirtonia* (Arthoniaceae), with three new *Stirtonia* species and one new *Crypthonia* species from the Neotropics. *The Lichenologist* 46: 673-679.
23. Aptroot A, Thor G, Lücking R, Elix J, Chaves JL. 2009. The lichen genus *Herpothallon* reinstated. *Bibliotheca Lichenologica* 99: 19-66.
24. Aptroot A, Umana L, Chaves JL, Trest M. 2006. A first assessment of the TICOLICHEN biodiversity inventory in Costa Rica: Three new squamulose genera (Lecanorales: Ramalinaceae and Pilocarpacaeae). *Journal-Hattori Botanical Laboratory* 100: 617-623.
25. Arauz LF, Gonzalez-Lobo M. 1986. Fuentes de inóculo de algunas enfermedades de poscosecha del mango. *Agronomía Costarricense* 10: 217-220.
26. Arauz LF, Mora D. 1983. Evaluación preliminar de los problemas poscosecha en seis frutas tropicales de Costa Rica. *Agronomía Costarricense* 7: 43-53.
27. Arauz LF, Umaña G. 1986. Diagnóstico e incidencia de las enfermedades post cosecha del mango en Costa Rica. *Agronomía Costarricense* 10: 89-99.
28. Arauz LF, Wang A, Durán JA, Monterrey M. 1994. Causas de pérdidas poscosecha de mango a nivel mayorista en Costa Rica I. *Agronomía Costarricense* 18: 47-51.
29. Arauz LF. 2000. Mango anthracnose: economic impact and current options for integrated management. *Plant Disease* 84: 600-611.
30. Araya CM, Alleyne AT, Steadman JR, Eskridge KM, Coyne DP. 2004. Phenotypic and genotypic characterization of *Uromyces appendiculatus* from *Phaseolus vulgaris* in the Americas. *Plant Disease* 88: 830-836. <https://doi.org/10.1094/PDIS.2004.88.8.830>
31. Araya CM, Araya R. 2000. Avances en la selección de fuentes de resistencia a las principales enfermedades del frijol común (*Phaseolus vulgaris* L.) en Costa Rica. *Agronomía Mesoamericana* 11: 25-29.
32. Arce-Araya C, Varela-Benavides I, Torres-Portuguez S. 2019. Inhibición del crecimiento micelial de hongos asociados a antracnosis en ñame (*Dioscorea alata*). *Agronomía Mesoamericana* 30: 381-393.
33. Arguedas-Gamboa M, Espinoza D. 2007. Problemas fitosanitarios del jaúl (*Alnus acuminata* Kunth) en Costa Rica. *Revista Forestal Mesoamericana Kurú* 4(10): 32-41.
34. Arguedas-Gamboa M. 2007. Plagas Forestales en Costa Rica. Kurú: Revista Forestal (Costa Rica) 4(11-12). <file:///C:/Users/olga/AppData/Local/Mendeley Ltd./Mendeley Desktop/Downloaded/Rica, Tecnológico, Rica - 2007 - Catalogación en la Fuente.pdf>
35. Arguedas-Gamboa M. 2008. Clasificación de síntomas de enfermedades forestales. Primera parte. *Revista Forestal Mesoamericana Kurú* 5(14).
36. Ariyawansa H, Hyde K, Jayasiri S, Buyck B, Kandawatte T, Dai DQ, Dai YC, Daranagama D, Jayawardena R, Lücking R, Ghobad-NezhuL, Chen XH. 2015. Fungal Diversity Notes 111–252—taxonomic and phylogenetic contributions to fungal taxa. *Fungal Diversity* 75: 27-274.
37. Arrhenius SP, Langenheim JH. 1986. The Association of *Pestalotia* Species with Members of the Leguminous Tree Genera *Hymenaea* and *Copaifera* in the Neotropics, *Mycologia*, 78:4, 673-676. DOI: 10.1080/00275514.1986.12025304
38. Arroyo C, Arauz LF, Mora J. 2004. Incidencia de enfermedades en pejobaye (*Bactris gasipaes* Kunth) para palmito. *Agronomía Mesoamericana* 15: 61-68.
39. Arroyo I. 2023. Sistema de clasificación para especies de hongos silvestres con reportes de comestibilidad comunicadas para Costa Rica. *Funga Latina* 1: V1A5. <https://doi.org/10.5281/zenodo.10214949>.
40. Ashizawa T, Takahashi M, Moriwaki J, Hirayae K. 2010. Quantification of the rice false smut pathogen *Ustilaginoidea virens* from soil in Japan using real-time PCR. *European Journal of Plant Pathology* 128: 221-232.
41. Astúa G, Arauz Cavallini LF, Umaña G. 1994. Sensibilidad reducida al tiabendazole en *Colletotrichum gloesporioides* aislado de papaya. *Agronomía Costarricense* 18: 35-39.
42. Avelino J, Cabut S, Barboza B, Barquero M, Alfaro R, Esquivel C, Durand JF, Cilas C. 2007. Topography and crop management are key factors for the development of American leaf spot epidemics on coffee in Costa Rica. *Phytopathology* 97: 1532-1542. <https://doi.org/10.1094/PHYTO-97-12-1532>
43. Azofeifa-Bolaños JB, Rivera-Coto G, Paniagua-Vásquez A, Cordero-Solórzano R, Salas-Alvarado E. 2019. Desinfección de segmentos nodales sobre el rendimiento morfológico de vitroplantas de *Vanilla planifolia* Andrews. *Agronomía Mesoamericana* 30: 33-49.

44. Baayen R, Bonants P, Verkley G, Carroll G, Van Der Aa H, De Weerd M, Van Brouwershaven I, Schutte G, Maccheroni W Jr, De Blanco C. 2002. Nonpathogenic isolates of the citrus black spot fungus, *Guignardia citricarpa*, identified as a cosmopolitan endophyte of woody plants, *G. mangiferae* (*Phyllosticta capitalensis*). *Phytopathology* 92(5):464–477.
45. Bajet NB, Renfro BL, Carrasco JMV. 1994. Control of tar spot of maize and its effect on yield. *International Journal of Pest Management* 40: 121-125.
46. Baker CJ, Harrington TC, Krauss U, Alfenas AC. 2003. Genetic variability and host specialization in the Latin American clade of *Ceratocystis fimbriata*. *Phytopathology* 93: 1274-1284. <https://doi.org/10.1094/PHYTO.2003.93.10.1274>
47. Baker Engelbrecht CJ, Harrington TC. 2005. Intersterility, morphology and taxonomy of *Ceratocystis fimbriata* on sweet potato, cacao and sycamore. *Mycologia*, 97: 57-69. DOI: 10.1080/15572536.2006.11832839
48. Bandala VM, Montoya L, Horak E. 1998. New data on the genus *Phaeocollybia* based on type studies. *Mycologia* 90: 118-124. doi: 10.1080/00275514.1998.12026887.
49. Bandala VM, Montoya L, Mata M. 2008. *Crepidotus crocophyllus* found in Costa Rica and Mexico and revision of related species in subsection Fulvifibrillosi. *Mycologia* 100: 335-346.
50. Baral HO, Weber E, Marson G. 2020. Monograph of Orbiliomycetes (Ascomycota) based on vital taxonomy. Part I + II. National Museum of Natural History Luxembourg, 1752 pp.
51. Barbosa FR, Gusmao LFP, Raja HA, Shearer CA. 2013. New species and new records of freshwater ascomycetes from Brazil and Costa Rica. *Mycologia* 105: 335-343.
52. Baroncelli R, Zapparata A, Sarrocco S, Sukno SA, Lane CR, Thon MR, Sreenivasaprasad S. 2015. Molecular diversity of anthracnose pathogen populations associated with UK strawberry production suggests multiple introductions of three different *Colletotrichum* species. *PLoS One* 10: e0129140.
53. Baroni TJ, Halling RE. 2000. Some Entolomataceae (Agaricales) from Costa Rica. *Brittonia* 52: 121-135.
54. Baroni TJ, Lodge DJ. 1998. *Alboleptonia* from the Greater Antilles. *Mycologia* 90: 680-696. doi: 10.1080/00275514.1998.12026957.
55. Barr ME. 1987. The Genus *Trabutia* and its Position in the Ascomycetes. *Mycologia*, 79: 188-192. DOI: 10.1080/00275514.1987.12025697
56. Barragán A, Bernardi M, Rossi W. 2013. New records of *Laboulbenia* (Fungi, Ascomycota) from Ecuador and other countries. *Webbia*, 68: 25-34. DOI:10.1080/00837792.2013.779816
57. Batista AC, Ciferri R. 1959. Sistemática dos fungos imperfeitos de picnostromas com himênio invertido (Peltasterales). *Mycopathologia et Mycologia Applicata* 11: 1-102.
58. Batista AC, Ciferri R. 1962. The Chaetothyriales. *Sydowia Beihefte* 3:1–129.
59. Baxter JW. 1959. A monograph of the genus *Uropyxis*. *Mycologia* 51: 210-226.
60. Baxter JW. 1968. The species of *Ravenelia* occurring on *Lonchocarpus*. *Mycologia* 60: 42-48.
61. Bazán de Segura C. 1970a. La enfermedad rosada (*Corticium salmonicolor*) y el mal de hilachas (*Pellicularia koleroga*) sobre varias especies de *Eucalyptus* en Turrialba, Costa Rica [*Corticium salmonicolor* and *Pellicularia koleroga* on various species of *Eucalyptus* in Turrialba, Costa Rica]. *Turrialba* 20: 254-255.
62. Bazán de Segura C. 1970b. Manchas foliares causadas por el hongo *Cylindrocladium scoparium* Morg. en *Eucalyptus* spp. en Turrialba, Costa Rica. [Leaf spots caused by *Cylindrocladium scoparium* on *Eucalyptus* spp. in Turrialba, Costa Rica]. *Turrialba* 20(3): 365-366.
63. Bazzalo ME, Wright JE. 1982. Survey on the Argentine species of the *Ganoderma lucidum* complex. *Mycotaxon* 16(1): 293-325.
64. Belisle M, Mendenhall CD, Oviedo Brenes F, Fukami T. 2014. Temporal variation in fungal communities associated with tropical hummingbirds and nectarivorous bats. *Fungal Ecology* 12: 44-51.
65. Benjamin RK. 1981. Laboulbeniales on semiaquatic Hemiptera. IV. Addenda to Prolixandromyces. *Aliso* 10:1–17.
66. Bermudez M, Carranza J. 1990. Patogenicidad de *Rosellinia bunodes* en el Jaúl (*Alnus acuminata*). *Agronomía Costarricense* 14: 181-188.
67. Berndt R. 1998. New Puccinia species on *Baccharis* from Ecuador and Costa Rica. *Mycological Research* 102: 1108-1112.

68. Bessey EA. 1953. Notes on the Genus *Camptomeris*, Fungi Imperfecti. *Mycologia* 45: 364-390. DOI: 10.1080/00275514.1953.12024277
69. Biga MLB, Ciferri R, Bestagno G. 1958. Ordinamento artificiale delle specie del genere *Coniothyrium* Corda. *Sydowia* 12: 258-320.
70. Bills GF, Polishook JD. 1994. Abundance and diversity of microfungi in leaf litter of a lowland rain forest in Costa Rica. *Mycologia* 86: 187-198.
71. Bills GF, Polishook JD. 1994b. Microfungi from decaying leaves of *Heliconia mariae* (Heliconiaceae). *Brenesia* 41:27–43
72. Bills GF, Rossman AY, Polishook JD. 1994. Rediscovery of *Albosynnema elegans* and *Solheimia costaspora*. *Sydowia* 46: 1-11.
73. Bilodeau GJ, Martin FN, Coffey MD, Blomquist CL. 2014. Development of a multiplex assay for genus- and species-specific detection of *Phytophthora* based on differences in mitochondrial gene order. *Phytopathology* 104: 733-748.
74. Bischoff JF, Sullivan RF, Kjer KM, White Jr JF. 2004. Phylogenetic placement of the anamorphic tribe Ustilaginoideae (Hypocreales, Ascomycota). *Mycologia* 96:5, 1088-1094, DOI: 10.1080/15572536.2005.11832907
75. Bissett J, Gams W, Jaklitsch W, Samuels GJ. 2015. Accepted *Trichoderma* names in the year 2015. *IMA FUNGUS* 6: 263–295.
76. Bjerke J, Sipman HJM, Perez R. 2005. A new subspecies of *Menegazzia neotropica* (Parmeliaceae, Ascomycota) from Central America. *Mycotaxon* 91: 419-422.
77. Blackwell M, Rossi W. 1986. Biogeography of fungal ectoparasites of termites. *Mycotaxon* 25(2): 581-601.
78. Blanco FA, Salas EA. 1997. Micorrizas en la agricultura: contexto mundial e investigación realizada en Costa Rica. *Agronomía Costarricense* 21: 55-67.
79. Blanco-Meneses M. 2022. Identificación molecular de microorganismos en cultivos agrícolas, ornamentales y forestales en Costa Rica, 2009-2018. Parte 1. *Agronomía Mesoamericana* 33: 46407. <https://doi.org/10.15517/am.v33i2.46407>
80. Blandón-Díaz JU, Widmark AK, Hannukkala A, Andersson B, Högberg N, Yuen JE. 2012. Phenotypic variation within a clonal lineage of *Phytophthora infestans* infecting both tomato and potato in Nicaragua. *Phytopathology* 102: 323-330.
81. Blomquist CL, McKemy JM, Aime MC, Orsburn RW, Kinnee SA. 2009. First report of bamboo rust caused by *Kweilingia divina* on *Bambusa domestica* in Los Angeles County, California. *Plant Disease* 93: 201.
82. Bogantes-Arias A, Mora-Newcomer E. 2013. Incidencia y severidad de la antracnosis en líneas e híbridos de papaya (*Carica papaya*). *Agronomía Mesoamericana* 24: 411-417.
83. Bommer JB, Rousseau H. 1896. Fungi en Durand et Pittier. *Primitiae Florae Costarricensis*. *Bull Soc Roy de Belgique* 35: 151-166.
84. Boonmee S, Rossman AY, Liu JK, Li WJ, Dai DQ, Bhat JD, Jones EBG, McKenzie EHC, Xu JC, Hyde KD. 2014. Tubeufiales, ord. nov., integrating sexual and asexual generic names. *Fungal Diversity* 68:239–298.
85. Boonmee S, Zhang Y, Chomnunti P, Chukeatirote E, Tsiu CKM, Bahkali AH, Hyde KD. 2011. Revision of lignicolous Tubeufiaceae based on morphological reexamination and phylogenetic analysis. *Fungal Diversity* 51:63–102.
86. Booth C. 1966. The genus *Cylindrocarpon*. *Mycological Papers* 104: 1-56.
87. Boratynski TN. 1979. La escaldadura de la hoja de arroz *Rhynchosporium oryzae* Hashioka e Ikegami, en Costa Rica. *Agronomía Costarricense* 3: 21-27.
88. Boudrot A, Pico J, Merle I, Granados E, Vilchez S, Tixier P, Avelino J. 2016. Shade effects on the dispersal of airborne *Hemileia vastatrix* uredospores. *Phytopathology* 106: 572-580.
89. Brako L. 1991. *Phyllopsora* (Bacidiaceae). *Flora Neotropica Monograph* 55: 67 pp.
90. Braun U, Crous PW, Nakashima C. 2014. Cercosporoid fungi (Mycosphaerellaceae) 2. Species on monocots (Acoraceae to Xyridaceae, excluding Poaceae). *IMA FUNGUS* 5: 203–390.
91. Braun U, Crous PW, Nakashima C. 2015a. Cercosporoid fungi (Mycosphaerellaceae) 3. Species on monocots (Poaceae, true grasses). *IMA Fungus* 6: 25-97.
92. Braun U, Crous PW, Nakashima C. 2015b. Cercosporoid fungi (Mycosphaerellaceae) 4. Species on dicots (Acanthaceae to Amaranthaceae). *IMA FUNGUS* 6: 373–469.

93. Braun U, Freire FCO. 2002. Some cercosporoid hyphomycetes from Brazil – II. *Cryptogamie Mycologie* 23: 295-328.
94. Braun U. 1998. Miscellaneous notes on phytopathogenic hyphomycetes (III). *Schlechtendalia* 1: 23-30.
95. Braun U. 1999. Taxonomic notes on some species of the *Cercospora* complex (V). *Schlechtendalia* 2: 1-28.
96. Braun U. 2000. Annotated list of *Cercospora* spp. described by C. Spegazzini. *Schlechtendalia* 5: 57-79.
97. Braun U. 2017. *Pseudocercospora solanacea* revisited and a survey of *Pseudocercospora* spp. on *Solanum* with a key to the species. *Schlechtendalia* 32: 51-65.
98. Brayford D. 1987. CMI Descriptions of Pathogenic Fungi and Bacteria No. 927. *Mycopathologia* 100: 127-128.
99. Brayford D. 1992. IMI Descriptions of Fungi and Bacteria 112. *Mycopathologia* 118: 37-64.
100. Breuss O, Neuwirth G. 2007. Flechtenfunde im Bosque Esquinas, Costa Rica. *Linzer Biologische Beiträge* 39: 557–569.
101. Breuss O. 2001. Flechten aus Costa Rica II. *Linzer Biologische Beiträge* 33: 1025–1034.
102. Breuss O. 2012. *Coenogonium wernerhuberi*, a New Foliicolous Lichen Species (Coenogoniaceae) from Costa Rica. *Herzogia* 25: 145-148.
103. Brodie HJ. 1955. *Cyathus gayanus* from Costa Rica. *Mycologia* 47(2): 266-268.
104. Brodie HJ. 1955. *Cyathus gayanus* from Costa Rica. *Mycologia* 47: 266-268.
105. Brodie HJ. 1967. New records of Nidulariaceae from the West Indies. *Transactions of the British Mycological Society* 50(3): 473-478.
106. Broge M, Howard A, Biles CL, Udayanga D, Taff H, Dudley L, Bruton BD. 2020. First report of *Diaporthe* fruit rot of melons caused by *D. pterocarpi* in Costa Rica. *Plant Disease* 104: 1655.
107. Brown LG, Morgan-Jones G. 1977. Notes on hyphomycetes XX. ‘*Cercospora*-complex’ fungi of *Cassia* and *Psoralea*. *Mycotaxon* 6(2): 261-276.
108. Burt EA. 1921. Some North American Tremellaceae, Dacryomycetaceae and Auriculariaceae. *Annals of the Missouri Botanical Garden* 8: 361-396.
109. Buyck B, Halling RE, Mueller GM. 2003. The inventory of *Russula* in Costa Rica: discovery of two very rare North American species in montane oak forest. *BGMB* 46: 57-74.
110. Buyck B, Halling RE. 2004. Two new *Quercus*-associated *Russulas* from Costa Rica and their relation to some very rare North American species. *Cryptogamie Mycologie* 25: 3-13.
111. Buyck B, Hofstetter V, Eberhardt U, Verbeken A, Kauff F. 2008. Walking the thin line between *Russula* and *Lactarius*: the dilemma of *Russula* subsect. *Ochricompactae*. *Fungal Diversity* 28: 15-40.
112. Caballero C, Valverde E. 1983. Evaluación de métodos para el almacenamiento y conservación posterior a la cosecha de raíces de yuca, cv. Valencia. *Agronomía Costarricense* 7: 55-61.
113. Cadavid M, Ángel JC, Victoria JI. 2012. First report of orange rust of sugarcane caused by *Puccinia kuehnii* in Colombia. *Plant Disease* 96: 143.
114. Calonge FD, Carranza J. 2003. *Tulostoma matae* sp. nov. found in Costa Rica. *Bol Soc Micol Madrid* 27: 37-42.
115. Calonge FD, Iturriaga T, Mata M, Carranza J. 2003. Contribution to the study of the Pezizales (Ascomycotina) of Costa Rica. *Bol. Soc. Micol. Madrid* 27: 21-32.
116. Calonge FD, Kreisel H, Mata M. 2005. *Phallus atrovolvatus*, a new species from Costa Rica. *Bol Soc Micol Madrid* 29: 5-8.
117. Calonge FD, Mata M, Carranza J. 2003. *Calvatia sporocristata* sp. nov. (Gasteromycetes) from Costa Rica. *Rev Biol Trop* 51: 79-84.
118. Calonge FD, Mata M, Carranza J. 2005. Contribución al catálogo de los Gasteromycetes (Basidiomycotina, Fungi) de Costa Rica. *Anales del Jardín Botánico de Madrid* 62: 23-45.
119. Calonge FD, Mata M, Umaña L. 2006a. Adiciones y correcciones al catálogo de Ascomycota (Fungi) de Costa Rica, con especial referencia al Género *Scutellinia*. *Bol. Soc. Micol. Madrid* 30: 25-34.

120. Calonge FD, Mata M, Umaña L. 2006b. El género *Phillipsia* (Ascomycota) en Costa Rica, con una clave para identificar las especies. Bol. Soc. Micol. Madrid 30: 35-42.
121. Calonge FD, Mata M. 2004. A new species of *Geastrum* from Costa Rica and Mexico. Bol Soc Micol Madrid 28: 331-335.
122. Calonge FD, Mata M. 2005. *Crucibulum laeve* var. *magnum* var. nov. and *Arcangeliella scissilis* found in Costa Rica. Bol Soc Micol Madrid 29: 43-48.
123. Calonge FD, Mata M. 2006. Adiciones y correcciones al catálogo de Gasteromycetes de Costa Rica. Bol Soc Micol Madrid 30: 111-119.
124. Campbell J, Andreson JL, Shearer CA. 2003. Systematics of *Halosarpheia* based on morphological and molecular data. Mycologia 95: 530-552, DOI:10.1080/15572536.2004.11833100
125. Cannon PF. 1991. A Revision of *Phyllachora* and some similar genera on the host family Leguminosae. Mycological Papers 163: 1-302.
126. Cannon PF. 1991b. IMI Descriptions of Fungi and Bacteria No. 1021. Mycopathologia 113: 45-46.
127. Cannon PF. 1992. IMI Descriptions of Fungi and Bacteria No. 1133. Mycopathologia 120: 49-50.
128. Cannon PF. 1996. IMI Descriptions of Fungi and Bacteria 1284. Mycopathologia 135: 47-49.
129. Cao S, Ross L, Tamayo G, Clardy J. 2010. *Asterogynins*: secondary metabolites from a Costa Rican endophytic fungus. Organic Letters 12: 4661-4663.
130. Carranza J, Marín W, Ruiz A. 2017. Guía de los Macrohongos más comunes del Parque Nacional Corcovado, Estación La Leona. Costa Rica: UCR.
131. Carranza J, Mata M. 2019. Guía de Macrohongos en San Gerardo de Dota. Costa Rica: UCR.
132. Carranza J, Ruiz-Boyer A. 2005. Checklist of polypores of Costa Rica. Revista Mexicana de Micología 20: 45-52.
133. Carranza J, Ryvarden L. 1998. Additional list of pore fungi of Costa Rica. Mycotaxon 69: 377-390.
134. Carranza J, Sáenz JA. 1984. Wood decay fungi of Costa Rica. Mycotaxon 29: 151-166.
135. Carranza J. 1982. Polypores new to Costa Rica. Mycotaxon 15: 405-408.
136. Carranza-Morse J. 1991. Pore fungi of Costa Rica. I. Mycotaxon 41: 345-370.
137. Carranza-Morse J. 1992. Pore fungi of Costa Rica. II. Mycotaxon 43: 351-369.
138. Carranza-Morse J. 1993. Pore fungi of Costa Rica. III. Mycotaxon 48: 45-57.
139. Carranza-Morse, J. 1992. Pore fungi of Costa Rica. II. Mycotaxon 43:351-369.
140. Carranza-Morse, J. 1993. Pore fungi of Costa Rica III. Mycotaxon 48:45-57.
141. Carranza-V., Di Stéfano-G., JF, Marín W, Mata M. 2018. Estudio comparativo de los macrohongos presentes en troncos de roble en dos bosques montañosos neotropicales de Costa Rica. Polibotánica 45: 35-56. doi: 10.18387/polibotanica.45.4.
142. Carranza-V., Di Stéfano-G., JF, Marín W, Mata M. 2019. Descomposición de la madera de roble (*Quercus* spp.) in vivo e in vitro. Polibotánica 47: 1-18.
143. Carroll GC, Munk A. 1964. Studies on Lignicolous Sordariaceae. Mycologia, 56: 77-98. DOI: 10.1080/00275514.1964.12018085
144. Castañeda-Ruiz RF, Granados MM, Mardones M, Stadler M, Minter DW, Hernández-Restrepo M, Gené J, Guarro J. 2012. A microfungus from Costa Rica: *Ticosynnema* gen. nov. Mycotaxon 122: 255-259.
145. Castro Chinchilla J, Umaña Rojas G. 2015. Poblaciones e identificación de los hongos causantes de mohos poscosecha en el pedúnculo de la piña, en dos zonas de Costa Rica. Agronomía Costarricense 39: 61-77.
146. Chacón S, Umaña L. 2006. Diatrypales (Ascomycota) de Costa Rica. Revista Mexicana de Micología 23: 37-47.
147. Chavarría E, Subirós F, Vega J, Ralda G, Glynn NC, Comstock JC, Castlebury LA. 2018. First report of orange rust of sugarcane caused by *Puccinia kuehnii* in Costa Rica and Nicaragua. Plant Disease 102: 825. <https://doi.org/10.1094/PDIS-06-17-0915-PDN>

148. Chavarría-Soto E, Barrantes-Mora JC, Villalobos-Méndez CL, Valverde-Araya W. 2016. Actualización de la reacción a la roya naranja (*Puccinia kuehnii*) de las principales variedades comerciales y promisorias de caña de azúcar (*Saccharum* spp.) en ciclo de caña planta en Costa Rica. *Revista Entre Cañeros* 4: 36-52.
149. Chaverri F, González LC, Bertsch F. 1993. Efecto de la aplicación de calcio y fósforo en ultisoles e inceptisoles sobre el desarrollo de la telaraña (*Thanatephorus cucumeris*) en frijol común (*Phaseolus vulgaris*). *Agronomía Costarricense* 17: 77-86.
150. Chaverri P, Castlebury LA, Overton BE, Samuels GJ. 2003. *Hypocrea/Trichoderma*: species with conidiophore elongations and green conidia. *Mycologia*, 95: 1100–1140.
151. Chaverri P, Huhndorf SM, Rogers JD, Samuels GJ. 2011. Microhongos comunes de Costa Rica y otras regiones tropicales. Instituto Nacional de Biodiversidad, Costa Rica. 125p.
152. Chaverri P, Liu M, Hodge KT. 2008. A monograph of the entomopathogenic genera *Hypocrella*, *Moelleriella*, and *Samuelsia* gen. nov. (Ascomycota, Hypocreales, Clavicipitaceae), and their aschersonia-like anamorphs in the Neotropics. *Studies in Mycology* 60: 1-66. doi:10.3114/sim.2008.60.01
153. Chaverri P, Samuels GJ, Hodge KT. 2005. The genus *Podocrella* and its nematode-killing anamorph *Harposporium*. *Mycologia* 97: 433–443.
154. Chaverri P, Samuels GJ, Stewart EL, Umaña L. 2001. *Hypocrea nigrovirens*, a new species with a gliocladium-like anamorph. *Mycologia* 93: 758-763.
155. Chaverri P, Samuels GJ. 2002. *Hypocrea/Trichoderma* (Ascomycota, Hypocreales, Hypocreaceae): species with green ascospores. *Studies in Mycology* 48:1-116.
156. Chaverri P, Vílchez B. 2006. Hypocrealean (Hypocreales, Ascomycota) Fungal Diversity in Different Stages of Tropical Forest Succession in Costa Rica. *Biotropica* 38: 531-543.
157. Chaves JL, Lücking R, Sipman HJM, Umaña L, Navarro E. 2004. A First Assessment of the Ticolichen Biodiversity Inventory in Costa Rica: The Genus *Dictyonema* (Polyporales: Atheliaceae). *The Bryologist* 107: 242-249.
158. Chaves JL, Umana L, Lücking R, Sipman HJM, Aptroot A. 2006. A new species of *Heterodermia* from Costa Rica and Venezuela, in honour of the Spanish Ambassador in Costa Rica, Juan José Urtasun Erro. *Cryptogamie, Mycologie* 27: 335-339.
159. Chaves N, Wang A. 2004. Combate del moho gris (*Botrytis cinerea*) de la fresa mediante *Gliocladium roseum*. *Agronomía Costarricense* 28: 73-85.
160. Checa J, Shoemaker RA, Umaña L. 2007. Some new hysteriaceous fungi from Costa Rica. *Mycologia* 99: 285–290.
161. Chen Q, Du P, Vlasák J, Wu F, Dai YC. 2020. Global diversity and phylogeny of *Fuscoporia* (Hymenochaetales, Basidiomycota). *Mycosphere* 11(1): 1477–1513. doi: 10.5943/mycosphere/11/1/10.
162. Chen Q, Wu F, Ji XH, Si J, Zhou LW, Tian XM, Vlasák J, Dai YC. 2019. Phylogeny of the genus *Fuscoporia* and taxonomic assessment of the *F. contigua* group. *Mycologia* 111: 423-444.
163. Chin KM, Wirz M, Laird D. 2001. Sensitivity of *Mycosphaerella fijiensis* from banana to trifloxystrobin. *Plant Disease* 85: 1264-1270. <https://doi.org/10.1094/PDIS.2001.85.12.1264>
164. Chinchilla CM, Mora D. 1986. Evaluación de fungicidas para el combate de Septoria apiicola en apio (*Apium graveolens*). *Agronomía Costarricense* 10: 51-55.
165. Christan J, Mata M. 2012. *Ramaria isaaci* sp. nov. und *Ramaria gracilispora* sp. nov., zwei neue Ramarien aus Costa Rica, mit Bemerkungen zur Gattung *Phaeoclavulina* Brinkmann (1897) ss. Giachini 2011. *Mycol Bavarica* 13: 45-57.
166. Ciferri R. 1933. A few interesting North American smuts. *Transactions of the British Mycological Society* 18 (4): 257-264.
167. Cifuentes J, Petersen RH, Hughes K. 2003. *Campanophyllum*: a new genus for an old species name. *Mycological Progress* 2: 285-295.
168. Coimbra VRM. 2014. Checklist of Central and South America Agaricales (Basidiomycota) I: Entolomataceae. *Mycosphere* 5: 475-487. doi: 10.5943/mycosphere/5/3/10.
169. Coimbra VRM. 2015. Checklist of Central and South America Agaricales (Basidiomycota) II: Strophariaceae. *Mycosphere* 6: 441-458. doi: 10.5943/mycosphere/6/4/6.

170. Colla S. 1926. Laboulbeniali osservate nelle collezioni del R. Museo zoologico di Torino. Memorie della Reale Accademia nazionale dei Lincei, classe di Scienze Fisiche, Matematiche e Naturali 6: 153–193.
171. Consiglio G, Setti L, Thorn RG. 2018. New species of *Hohenbuehelia*, with comments on the *Hohenbuehelia atrocoerulea* - *Nematoctonus robustus* species complex. *Persoonia* 41: 202–212. doi: 10.3767/persoonia.2018.41.10.
172. Cook MT. 1951. Distribution of species of *Synchytrium* in North America. *Mycologia* 43: 590–597.
173. Corner E.J.H. 1967. Notes on Clavaria. *Transactions of the British Mycological Society* 50(1): 33–44.
174. Coronado-Ruiz C, Avendaño R, Escudero-Leyva E, Conejo-Barboza G, Chaverri P, Chavarría M. 2018. Two new cellulolytic fungal species isolated from a 19th-century art collection. *Scientific Reports* 8: 7492. DOI:10.1038/s41598-018-24934-7
175. Corrales O, Vargas E, Moreira M. 1990. Efecto de la materia orgánica en el combate de la pudrición basal del chile dulce (*Capsicum annum*) causada por *Phytophthora capsici*. *Agronomía Costarricense* 14: 9–14. [http://www.mag.go.cr/rev\\_agr/v14n01\\_009.pdf](http://www.mag.go.cr/rev_agr/v14n01_009.pdf)
176. Crane JL, Miller AN. 2016. Studies in genera similar to *Torula*: *Bahusaganda*, *Bahusandhika*, *Pseudotorula*, and *Simmonsella* gen. nov. *IMA FUNGUS* 7: 29–45.
177. Crous PW, Braun U (2003). *Mycosphaerella* and its anamorphs. 1. Names published in *Cercospora* and *Passalora*. *CBS Biodiversity Series* 1: 1–571.
178. Crous PW, et al. 2018. Fungal Planet description sheets: 785– 867. *Persoonia* 41: 238 – 417.
179. Crous PW, et al. 2021. Fungal Planet description sheets: 1182–1283. *Persoonia* 46: 313 – 528.
180. Crous PW, Gams W, Wingfield MJ, van Wyk PS. 1996. *Phaeoacremonium* gen. nov. associated with wilt and decline diseases of woody hosts and human infections, *Mycologia*, 88:5, 786–796, DOI: 10.1080/00275514.1996.12026716
181. Crous PW, Groenewald JZ, Wingfield MJ, Aptroot A. 2003. The value of ascospore septation in separating *Mycosphaerella* from *Sphaerulina* in the Dothideales: a Saccardoan myth? *Sydowia* 55: 136–152.
182. Crous PW, Summerell BA, Alfenas AC, Edwards J, Pascoe IG, Porter IJ, Groenewald JZ. 2012. Genera of diaporthean coelomycetes associated with leaf spots of tree hosts. *Persoonia* 28: 66–75. <http://dx.doi.org/10.3767/003158512X642030>
183. Crous PW, Summerell BA, Shivas RG, Carnegie AJ, Groenewald JZ. 2012. A re-appraisal of *Harknessia* (Diaportheales), and the introduction of *Harknessiaceae* fam. nov. *Persoonia* 28: 49–65.
184. Crous PW, Wingfield MJ. 1993. IMI Descriptions of Fungi and Bacteria No. 1151. *Mycopathologia* 122: 45–64.
185. Cruz-Laufer AJ, Mardones M, Piepenbring M. 2019. Systematics, taxonomy, and distribution of species of *Myriogenospora* G.F. Atk. (Clavicipitaceae, Hypocreales, Ascomycota). *Check List* 15 (5): 735–746. <https://doi.org/10.15560/15.5.735>
186. Da Silva P, Piccolo Grandi AR. 2013. Taxonomic studies of *Thozetella* Kuntze (anamorphic Chaetosphaeriaceae, Ascomycota). *Nova Hedwigia* 97: 361–399.
187. Da Silva P, Piccolo Grandi RA. 2013. Taxonomic studies of *Thozetella* Kuntze (anamorphic Chaetosphaeriaceae, Ascomycota). *Nova Hedwigia* 97: 361–399.
188. Dal-Forno M, Lawrey J, Sikaroodi M, Bhattarai S, Gillevet P, Sulzbacher M, Lücking R. 2013. Starting from scratch: Evolution of the lichen thallus in the basidiolichen *Dictyonema* (Agaricales: Hygrophoraceae). *Fungal Biology* 117: 584–598.
189. Dal-Forno M, Lücking R, Bungartz F, Yáñez-Ayabaca A, Marcelli M, Spielmann A, Coca L, Chaves JL, Aptroot A, Sipman HJM, Sikaroodi M, Gillevet P, Lawrey J. 2016. From one to six: Unrecognized species diversity in the genus *Acantholichen* (lichenized Basidiomycota: Hygrophoraceae). *Mycologia* 108: 15–60.
190. Damm U, Cannon PF, Liu F, Barreto RW, Guatimosin E, Crous PW. 2013. The *Colletotrichum orbiculare* species complex: Important pathogens of field crops and weeds. *Fungal Diversity* 61:29–59.
191. Damm U, Cannon PF, Woudenberg JHC, Crous PW. 2012. The *Colletotrichum acutatum* species complex. *Studies in Mycology* 73: 37–113.
192. Danielsen S, Meyer UM, Funck Jensen D. 1998. Genetic characteristics of *Fusarium verticillioides* isolates from maize in Costa Rica. *Plant Pathology* 47: 615–622. <https://doi.org/10.1046/j.1365-3059.1998.00277.x>



193. Daranagam DA, Hyde KD, Sir SB, Thambugala KM, Tian Q, Samarakoon MC, McKenzie EHC, Jayasiri SC, Tibpromma S, Bhat JD, Liu XZ, Stadler M. 2018. Towards a natural classification and backbone tree for Graphostromataceae, Hypoxylaceae, Lopadostomataceae and Xylariaceae. *Fungal Diversity* 88:1–165.
194. Davoodian N, Bergemann SE, Hosaka K, Raspé O, Bougher NL, Fechner NA, Henkel TW, Gelardi M, Soyong K, Naseer A, Ortiz-Santana B, Baroni TJ, Nagasawa E, Smith ME, Halling RE. 2018. A global view of Gyroporus: molecular phylogenetics, diversity patterns, and new species. *Mycologia* 110: 985-995. doi: 10.1080/00275514.2018.1511339.
195. De Beer ZW, Marincowitz S, Duong TA, Kim JJ, Rodrigues A, Wingfield MJ. 2016. *Hawksworthiomyces* gen. nov. (Ophiostomatales), illustrates the urgency for a decision on how to name novel taxa known only from environmental nucleic acid sequences (ENAS). *Fungal Biology* 120: 1323-1340.
196. De Crop E, Nuytinck J, Van de Putte K, Wisitrassameewong K, Hackel J, Stubbe D, Hyde KD, Roy M, Halling RE, Moreau PA, Eberhardt U, Verbeken A. 2017. A multi-gene phylogeny of *Lactifluus* (Basidiomycota, Russulales) translated into a new infrageneric classification of the genus. *Persoonia* 38: 58-80. doi: 10.3767/003158517X693255.
197. de Silva DD, Groenewald JZ, Crous PW, Ades PK, Nasruddin A, Mongkolporn O, Taylor PWJ. 2019. Identification, prevalence and pathogenicity of *Colletotrichum* species causing anthracnose of *Capsicum annuum* in Asia. *IMA Fungus* 10:8
198. Decock C, Ryvarden L. 2013. Neotropical *Perenniporia*: a new species, *Perenniporia subovoidea*, from Costa Rica, new records of little known species, and a key to the species with a resupinate basidiome. *Plant Ecology and Evolution* 146: 234-239.
199. Degenkolb T, Dieckmann R, Nielsen KF, Gräfenhan T, Theis C, Zafari D, Chaverri P, Ismael A, Brückner H, von Döhren H, Thrane U, Petrini O, Samuels GJ. 2008. The *Trichoderma brevicompactum* clade: a separate lineage with new species, new peptaibiotics, and mycotoxins. *Mycol Progress* 7:177–219.
200. Del Prado R, Schmitt I, Kautz S, Palice Z, Lucking R, Lumbsch HT. 2006. Molecular data place Trypetheliaceae in Dothideomycetes. *Mycological Research* 110: 511-520.
201. Delgat L, Courtecuisse R, De Crop E, Hampe F, Hofmann TAC, Manz C, Piepenbring M, Roy M, Verbeken A. 2020. *Lactifluus* (Russulaceae) diversity in Central America and the Caribbean: melting pot between realms. *Persoonia* 44: 278-300. doi: 10.3767/persoonia.2020.44.10.
202. Delgat L, Dierickx G, De Wilde S, Angelini C, De Crop E, De Lange R, Halling R, Manz C, Nuytinck J, Verbeken A. 2019. Looks can be deceiving: the deceptive milkcaps (*Lactifluus*, Russulaceae) exhibit low morphological variance but harbour high genetic diversity. *IMA Fungus* 10: 14. doi: 10.1186/s43008-019-0017-3.
203. Denison WC. 1959. Some Species of the Genus *Scutellinia*. *Mycologia* 51: 605-635.
204. Denison WC. 1963. A preliminary study of the operculate cup-fungi of Costa Rica. *Rev. Biol. Trop.* 11: 99-129.
205. Denison WC. 1964. The Genus *Cheilymenia* in North America. *Mycologia* 56: 718-737. DOI: 10.1080/00275514.1964.12018161
206. Denison WC. 1965. Central American Pezizales. I. A New Genus of the Sarcoscyphaceae. *Mycologia* 57: 649-656. DOI: 10.1080/00275514.1965.12018250
207. Denison WC. 1967. Central American Pezizales. II. The Genus *Cookeina*. *Mycologia* 59: 306-317.
208. Denison WC. 1969. Central American Pezizales. III. The genus *Phillipsia*. *Mycologia* 61: 289-304.
209. Denison WC. 1972. Central American Pezizales. IV. The Genera *Sarcoscypha*, *Pithya*, and *Nanoscypha*. *Mycologia* 64: 609-623.
210. Dentinger BTM, McLaughlin DJ. 2006. Reconstructing the Clavariaceae using nuclear large subunit rDNA sequences and a new genus segregated from Clavaria. *Mycologia* 98: 746-762. doi: 10.1080/15572536.2006.11832646.
211. Di Stéfano JF, Fournier LA. 1998. Biomasa aérea, concentración de nutrimentos y daños en árboles de *Vochysia guatemalensis* en un monocultivo de cuatro años, Tabarcia, Costa Rica. *Agronomía Costarricense* 22: 235-241.
212. Dima B, Liimatainen K, Niskanen T. 2021. Type studies and fourteen new North American species of *Cortinarius* section Anomali reveal high continental species diversity. *Mycological Progress* 20: 1399-1439. doi: 10.1007/s11557-021-01738-0.
213. Dixon JR. 1975. *Chlorosplenium* and its segregates. II. The genera *Chlorociboria* and *Chlorencoelia*. *Mycotaxon* 1: 193-237.
214. Döbbeler P, Carranza J. 1993. Cuatro especies nuevas de *Nectria* (Hypocreales: Ascomycetes) en hepáticas epífilas de Costa Rica. *Rev. Biol. Trop.* 41: 203-208.

215. Döbbeler P, Hertel H. 2013. Bryophilous ascomycetes everywhere: Distribution maps of selected species on liverworts, mosses and Polytrichaceae. *Herzogia* 26: 361- 404.
216. Döbbeler P, Menjivar R. 1992. Tres nuevas especies de ascomicetes en hepáticas epífilas de Costa Rica. *Rev. Biol. Trop.* 40:73-81.
217. Döbbeler P. 1992. *Nectria sanramonensis* (Hypocreales, Ascomycetes), un nuevo parásito briófilo de Costa Rica. *Brenesia* 37: 145-149.
218. Döbbeler P. 1995. *Burenia myrrhidendri* spec. nov. (Protomycetales), ein bemerkenswerter biotropher Ascomycet in den Früchten einer baumförmigen Umbellifere aus Costa Rica. *Nova Hedwigia* 60: 171-177.
219. Döbbeler P. 1998. Ascomyceten auf der epiphyllen *Radula flaccida* (Hepaticae). *Nova Hedwigia* 66: 325-373.
220. Döbbeler P. 2004. *Bryocentria* (Hypocreales), a new genus of bryophilous Ascomycetes. *Mycological Progress* 3: 247–256.
221. Döbbeler P. 2005. Ascospore diversity of bryophilous Hypocreales and two new hepaticolous *Nectria* species. *Mycologia* 97: 924-934.
222. Döbbeler P. 2009. *Hyperepiphyllous*, perianthicolous Hypocreales—highly specialized ascomycetes of the phyllosphere. *Mycologia* 102: 404–417. DOI: 10.3852/09-118
223. Döbbeler P. 2010. New species and records of *Bryocentria* – a hypocrealean genus of bryophilous ascomycetes. *Karstenia* 50: 11–23.
224. Döbbeler P. 2011. Two New Hepaticolous Species of the Genus *Octosporella* (Pezizales). *Herzogia* 24: 357-365. DOI: <http://dx.doi.org/10.13158/hea.24.2.2011.357>
225. Döbbeler P. 2012. *Gynonectria intraspora* gen. et sp. nov. (Hypocreales), a perianthicolous phyllosphere fungus with a novel ascospore type. *Mycol Progress* 11:473–481.
226. Döbbeler P. 2016. Three new ascomycetes on epiphyllous liverworts. *Karstenia* 56: 47-53.
227. Döbbeler P. 2018. Hypocrealean hyperepiphyllous ascomycetes. *Biosyst. Ecol. Ser.* 34: 187 – 225. Wien, Verlag der Österr. Akad. Wiss.
228. Dodd SL, Lieckfeldt E, Chaverri P, Overton BE, Samuels GJ. 2002. Taxonomy and phylogenetic relationships of two species of *Hypocrea* with *Trichoderma* anamorphs. *Mycological Progress* 1: 409–428.
229. Dogonniuck AE, Squires TJ, Weir A. 2019. Studies on Dimorphomyceteae: I. New species of *Nycteromyces* and *Dimeromyces* (Laboulbeniales) on bat flies (Streblidae), *Mycologia*, DOI: 10.1080/00275514.2018.1538279
230. Doilom M, Taylor JE, Bhat DJ, Chukeatirote E, Hyde KD, To-anun C, Jones EBG. 2016. Checklist of fungi on teak. *Mycosphere* 7: 656–678.
231. Dong W, Wang B, Hyde KD, McKenzie EHC, et al. 2020. Freshwater Dothideomycetes. *Fungal Diversity* 105:319–575.
232. Drenkhan R, Tomešová-Haataja V, Fraser S, Bradshaw RE, Vahalík P, Mullett MS, Martín-García J, Bulman LS, Wingfield MJ, Kirisits T, Cech TL, Schmitz S, Baden R, Tubby K, Brown A, Georgieva M, Woods A, Ahumada R, Jankovský L, Thomsen IM, Adamson K, Marçais B, Vuorinen M, Tsopelas P, Koltay A, Halasz A, La Porta N, Anselmi N, Kiesnere R, Markovskaja S, Kačergius A, Papazova-Anakieva I, Risteski M, Sotirovski K, Lazarević J, Solheim H, Boroń P, Bragança H, Chira D, Musolin DL, Selikhovkin AV, Bulgakov TS, Keča N, Karadžić D, Galovic V, Pap P, Markovic M, Poljakovic Pajnik L, Vasic V, Ondrušková E, Piškur B, Sadiković D, Diez JJ, Solla A, Millberg H, Stenlid J, Angst A, Queloz V, Lehtijärvi A, Doğmuş-Lehtijärvi HT, Oskay F, Davydenko K, Meshkova V, Craig D, Woodward S, Barnes I. 2016. Global geographic distribution and host range of *Dothistroma* species: a comprehensive review. *For. Path.* 46: 408-442. doi:10.1111/efp.12290
233. Dring DM. 1973. Gasteromycetes. En GCA Ainsworth, FK Sparrow, AS Sussman. *The Fungi. An advanced treatise* 48: 451-478.
234. Druzhinina IS, Priscila Chaverri P, Payam Fallah P, Christian P. Kubicek CP, Samuels GJ. 2004. *Hypocrea flaviconidia*, a new species from Costa Rica with yellow conidia. *Studies in Mycology* 50: 401-407.
235. Dumont KP. 1973. Sclerotiniaceae IV. *Martininia*, *Mycologia*, 65: 175-191. DOI: 10.1080/00275514.1973.12019416
236. Durán JA, Mora D. 1987. Diagnóstico de las enfermedades postcosecha de la papaya en Costa Rica I. Pruebas de patogenicidad. *Agronomía Costarricense* 12: 1-6.
237. Durán JA. 1988. Diagnóstico de las enfermedades postcosecha de la papaya en Costa Rica. II. Cuantificación y epidemiología de las enfermedades del fruto. *Agronomía Costarricense* 12: 7-18.
238. Ellis MB 1958. *Clasterosporium* and some allied Dematiaceae - Phragmosporae. *Mycological Papers* 70: 1-89.

239. Ellis MB. 1960. Dematiaceous Hyphomycetes. I. Mycological Papers 76: 1-36.
240. Ellis MB. 1967. Dematiaceous Hyphomycetes. VIII. Periconiella, Trichodochium etc. Mycological Papers 111: 1-46.
241. Ellis MB. 1968. Dematiaceous Hyphomycetes. IX. Spiropes and Pleurophragmium. Mycological Papers 114: 1-44.
242. Elshafie AE, Aptroot A, Al-Bahry SN, Al-Kindi AY. 2005. A new species of *Navicella* from Costa Rica. *Sydowia* 57: 19-22.
243. Emerson R, Robertson JA, 1974. Two new members of the Blastocladiaceae. I. Taxonomy, with an evaluation of genera and interrelationships in the family. *American Journal of Botany* 61: 303e317.
244. Engelbrecht CJ, Harrington TC, Alfenas AC. 2007. *Ceratocystis* wilt of cacao—a disease of increasing importance. *Phytopathology* 97: 1648-1649.
245. Engelbrecht CJB, Harrington TC, Alfenas AC, Suarez C. 2007. Genetic variation in populations of the cacao wilt pathogen, *Ceratocystis cacaofunesta*. *Plant Pathology* 56: 923-933.
246. Ertz D, Diederich P. 2015. Dismantling Melaspileaceae: a first phylogenetic study of *Buelliella*, *Hemigrapha*, *Karschia*, *Labrocarpon* and *Melaspilea*. *Fungal Diversity* 71: 141–164.
247. Ertz D, Lawrey J, Sikaroodi M, Gillevet PK, Fischer E, Killmann D, Serusiaux E. 2008. A new lineage of lichenized basidiomycetes inferred from a two-gene phylogeny: The Lepidostromataceae with three species from the tropics. *American Journal of Botany* 95: 1548-1556.
248. Esslinger TL. 1978. Studies in the lichen family Physciaceae. II. The genus *Phaeophyscia* in North America. *Mycotaxon* 7(2): 283-320.
249. Esslinger TL. 1989. Systematics of *Oropogon* (Alectoriaceae) in the New World. *Systematic Botany Monographs* 28: 103.
250. Evans HC. 1984. The Genus *Mycosphaerella* and its Anamorphs *Cercoseptoria*, *Dothistroma* and *Lecanosticta* on Pines. *Mycological Papers* 153: 1-80.
251. Eyssartier G, Buyck B, Halling RE. 2003. Une nouvelle chanterelle du Costa Rica: *Cantharellus atrolilacinus* sp. nov. *Cryptogamie Mycologie* 24: 21-25.
252. Fan XL, Bezerra JDP, Tian CM, Crous PW. 2018. Families and genera of diaporthean fungi associated with canker and dieback of tree hosts. *Persoonia* 40: 119–134.
253. Farid A, Gelardi M, Angelini C, Franck AR, Costanzo F, Kaminsky L, Ercole E, Baroni TJ, White AL, Garey JR, Smith ME, Vizzini A. 2018. *Phylloporus* and *Phylloboletellus* are no longer alone: *Phylloporopsis* gen. nov. (Boletaceae), a new smooth-spored lamellate genus to accommodate the American species *Phylloporus boletinoides*. *FUSE* 2: 341-359. doi: 10.3114/fuse.2018.02.10.
254. Farr ML. 1979. The Didymosporous Dimeriaceous Fungi Described on Asteraceae. *Mycologia* 71: 243-271. DOI: 10.1080/00275514.1979.12021009
255. Farr ML. 1983. The Genus *Asterinema* (Ascomycetes, Microthyriaceae). *Mycologia* 75: 1036-1043. DOI: 10.1080/00275514.1983.12023790
256. Fernández FA, Huhndorf SM. 2005. New species of *Chaetosphaeria*, *Melanopsammella* and *Tainosphaeria* gen. nov. from the Americas. *Fungal Diversity* 18: 15-57.
257. Fernández FA, Lutzoni FM, Huhndorf SM. 1999. Teleomorph-anamorph connections: the new pyrenomycetous genus *Carpoligna* and its *Pleurothecium* anamorph. *Mycologia* 91: 251-262. DOI: 10.1080/00275514.1999.12061015
258. Fernández FA, Rogers JD, Ju YM, Huhndorf SM, Umaña L. 2004. *Paramphisphaeria costaricensis* gen. et sp. nov. and *Pachytrype rimosa* sp. nov. from Costa Rica. *Mycologia* 96: 175–179.
259. Ferraro L, Lücking R, Serusiaux E. 2001. A world monograph of the lichen genus *Gyalectidium* (Gomphillaceae). *Botanical Journal of the Linnean Society* 137: 311-345.
260. Ferraro L. 2009. The genus *Gomphillus* (Ostropales: Gomphillaceae) in the Americas, with the new species *Gomphillus pedersenii* from Argentina. *The Bryologist* 108: 491-496.
261. Ferrer A, Miller AN, Sarmiento C, Shearer CA. 2012. Three new genera representing novel lineages of Sordariomycetidae (Sordariomycetes, Ascomycota) from tropical freshwater habitats in Costa Rica. *Mycologia* 104: 865–879. DOI: 10.3852/11-111
262. Ferrer A, Miller AN, Shearer CA. 2011. *Minutisphaera* and *Natipusilla*: two new genera of freshwater Dothideomycetes. *Mycologia* 103: 411–423. DOI: 10.3852/10-177

263. Ferrer A, Raja HA, Shearer CA. 2008. *Lucidasocarpa pulchella*, a new ascomycete genus and species from freshwater habitats in the American tropics. *Mycologia* 100: 642–646. DOI: 10.3852/07-152R2
264. Ferrer A, Shearer CA. 2007. Three new species of *Luttrellia* from temperate and tropical freshwater habitats. *Mycologia* 99: 144-151. DOI:10.1080/15572536.2007.11832611
265. Ferst LM, Furtado ANM, Lima DF, Neves MA. 2023. *Clavulina junduensis* – a new species and an identification key of *Clavulina* (Clavulinaceae) from Brazil. *Sydowia* 75: 139–148. DOI 10.12905/0380.sydowia75-2023-0139.
266. Fidalgo O. 1963. Studies on the type species of *Hydnopolyporus*. *Mycologia* 55: 713-727.
267. Firmino AL, Inácio CA, Liparini Pereira O, Dianese JC. 2016. Additions to the genera *Asterolibertia* and *Cirsosia* (Asterinaceae, Asterales), with particular reference to species from the Brazilian Cerrado. *IMA FUNGUS* 7: 9–28.
268. Fischer CR, Janos DP, Perry DA, Linderman RG, Sollins P. 1994. Mycorrhiza Inoculum Potentials in Tropical Secondary Succession. *Biotropica* 26: 369-377. <https://www.jstor.org/stable/2389230>.
269. Flores RC, Loyo JR, Ojeda RA, Rangel OCA, Cerón FA, Márquez W, Amador J. 2009. First report of orange rust of sugarcane caused by *Puccinia kuehnii* in Mexico, El Salvador, and Panama. *Plant Disease* 93: 1347.
270. Forbes GA, Goodwin SB, Drenth A, Oyarzun P, Ordoñez ME, Fry WE. 1998. A global marker database for *Phytophthora infestans*. *Plant Disease* 82: 811-818. <https://doi.org/10.1094/PDIS.1998.82.7.811>
271. Francis L, Vargas E. 1981. Reconocimiento de las enfermedades de la lechuga (*Lactuca sativa* L.) causadas por hongos y bacterias en la provincia de Cartago, Costa Rica. *Agronomía Costarricense* 5: 55-63.
272. Franco-Molano AE. 1991. *Catatrama* (Tricholomataceae), a new genus from Costa Rica. *Mycologia* 83: 501-505.
273. Franco-Molano AE. 1995. Observations on *Rugosopora* Heinemann in the Neotropics. *Mycologia* 87: 574-578. doi: 10.1080/00275514.1995.12026570.
274. Fries EM. 1851. *Novae symbolae mycologicae*. Vol. 1. Upsaliae. 120 pp.
275. Frisch A, Thor G. 2010. *Crypthonia*, a new genus of byssoid Arthoniaceae (lichenized Ascomycota). *Mycol Progr* 9: 281-303.
276. Frisvad JC, Houbraken J, Popma S, Samson RA. 2012. Two new *Penicillium* species *Penicillium buchwaldii* and *Penicillium spathulatum*, producing the anticancer compound asperphenamate. *FEMS Microbiol Lett* 339: 77–92.
277. Fulthorpe R, Martin AR, Isaac ME. 2020. Root endophytes of coffee (*Coffea arabica*): variation across climatic gradients and relationships with functional traits. *Phytobiomes Journal* 4: 27-39.
278. Gamboa MA, Rodríguez ME, Roque RM, Berrocal A. 2018. *Gmelina arborea* “death disease” in fast-growth plantations: effects of soil and climatic conditions on severity and incidence and its implications for wood quality. *Forest Systems* 27(1): 3.
279. Gamboa MA. 2004. Problemas fitosanitarios de la melina (*Gmelina arborea* (Roxb)) en Costa Rica. *Revista Forestal Mesoamericana Kurú* 1: 75-83.
280. García I, Quirós L, Hernández F. 1988. Contenido de aflatoxinas en sorgo y maíz utilizado en la alimentación animal en Costa Rica. *Agronomía Costarricense* 12: 67-71.
281. Garner JHB. 1956. Gasteromycetes from Panama and Costa Rica. *Mycologia* 48: 757-764.
282. Garnica S, Spahn P, Oertel B, Ammirati J, Oberwinkler F. 2011. Tracking the evolutionary history of *Cortinarius* species in section *Calochroi*, with transoceanic disjunct distributions. *BMC Evolutionary Biology* 11: 213. doi: 10.1186/1471-2148-11-213.
283. Gelardi M, Angelini C, Biketova AY, Suz LM, Ercole E, Svetasheva TY, Miller KO, de la Fuente JI, Jiménez JG, Vizzini A. 2023. *Coccoloba*-associated xerocomoid boletes (Boletaceae) from the Caribbean and Mexico: *Tropicoboletus ruborculus* gen. et comb. nov., revision of *Xerocomus coccolobae*, phylogenetic assessment of *Singerocomus guadelupae* comb. nov., and type studies of *Xerocomus caeruleonigrescens*, *X. cuneipes*, and *X. pseudoboletinus* var. *pini-caribaeae*. *Mycological Progress* 22: 29. <https://doi.org/10.1007/s11557-023-01876-7>.
284. Gidoin C, Avelino J, Deheuvels O, Cilas C, Bieng MAN. 2014. Shade tree spatial structure and pod production explain frosty pod rot intensity in cacao agroforests, Costa Rica. *Phytopathology* 104: 275-281. <https://doi.org/10.1094/PHYTO-07-13-0216-R>
285. Gilbert GS, Talaro N, Howell CA, Symstad A. 1997. Multiple-scale spatial distribution of the fungal epiphyll *Scolecopeltidium* on *Trichilia* spp. in two lowland moist tropical forests. *Can. J. Bot.* 75: 2158-2164.

286. Gleason ML, Batzer JC, Sun G, Zhang R, Arias MMD, Sutton TB, Crous PW, Ivanović M, McManus PS, Cooley DR, Mayr U, Weber RWS, Yoder KS, Del Ponte EM, Biggs AR, Oertel B. 2011. A new view of sooty blotch and flyspeck. *Plant Disease* 95: 368-383. <https://doi.org/10.1094/PDIS-08-10-0590>
287. Godoy-Lutz G, Steadman JR, Higgins B, Powers K. 2003. Genetic variation among isolates of the web blight pathogen of common bean based on PCR-RFLP of the ITS-rDNA region. *Plant Disease* 87: 766-771. <https://doi.org/10.1094/PDIS.2003.87.7.766>
288. Góis JS, Cru RHSF, Ovrebø CL, Baseia IG. 2018. *Cyathus tenuicorticalis* (Agaricales, Basidiomycota), a new species from La Selva Biological Station, Costa Rica. *Studies in Fungi* 3: 256-263. doi: 10.5943/sif/3/1/26.
289. Goldmann L, Weir A, Rossi W. 2013. Molecular analysis reveals two new dimorphic species of *Hesperomyces* (Ascomycota, Laboulbeniomyces) parasitic on the ladybird *Coleomegilla maculata* (Coleoptera, Coccinellidae). *Fungal Biology* 117: 807-813.
290. Goldmann L, Weir A. 2018. Molecular phylogeny of the Laboulbeniomyces (Ascomycota). *Fungal Biology* 122: 87-100.
291. Gomez LD, Alfaro RM. 1996. Basidiomycetes de Costa Rica. De Russulae novae. *Rev Biol Trop* 44: 25-37.
292. Gómez LD, Kisimova-Horovitz L. 1997. Basidiomycetes de Costa Rica. Exobasidiales, Cryptobasidiales. Notas históricas, taxonómicas y fitogeográficas. *Revista de Biología Tropical* 45: 1293-1310.
293. Gómez LD, Ryvarden L. 1985. *Inonotus fimbriatus* nov. sp. (Hymenochaetales, Basidiomycetes). *Mycotaxon* 23: 291-292.
294. Gomez LD, Singer R. 1984. *Veloporphyrellus*, a new genus of Boletaceae from Costa Rica. *Brenesia* 22: 293-298.
295. Gómez LD. 1971. Un nuevo Discomycete operculado de América Central, *Morchella herediana*. *Darwiniana* 16: 417-426.
296. Gomez LD. 1972. Fungi costarricenses nonnulli, I: Clavariaceae novae. *Darwiniana* 17: 393-396.
297. Gomez LD. 1972. *Gyromitra chirripoensis* nov. sp. *Rev. Biol. Trop.* 20: 131-135.
298. Gomez LD. 1973. Sobre el género *Tonduzia* Stevens (Sphaeriales, Ascomycetes). *Brenesia* 2: 21.
299. Gómez LD. 1974. Revisión de las especies costarricenses del género *Helvella* Fr. *Brenesia* 3:31-42.
300. Gómez LD. 1974. Sobre el género *Colonnaria* Rafinesque. *Rev Biol Trop* 21: 5-10.
301. Gomez LD. 1983. The fungi of Cocos Island, Costa Rica. *Brenesia* 21: 355-364.
302. Gomez LD. 1984. Additions to the Costa Rican mycoflora. Plant pathogens. *Brenesia* 22: 349-354.
303. Gomez LD. 1994. Una nueva especie neotropical de *Termitomyces* (Agaricales: Termitomycetaceae). *Rev Biol Trop* 42: 439-441.
304. Gomez LD. 1996. Basidiomycetes de Costa Rica: *Xerocomus*, *Chalciporus*, *Pulveroboletus*, *Boletellus*, *Xanthoconium* (Agaricales: Boletaceae). *Rev Biol Trop* 44: 59-89.
305. González E. 1991. El contenido de humedad y la germinación de las semillas de *Virola koschnyi* y *Nectandra membranacea*. *Agronomía Costarricense* 15: 181-183.
306. González LC, Gutiérrez R, Cascante F, Portilla E. 1977. Combate de enfermedades foliares en frijol (*Phaseolus vulgaris*) mediante el uso limitado de fungicidas. *Agronomía Costarricense* 1: 107-118.
307. González LC, Sánchez JA, Porras VH, Umaña S, Murillo D. 1984. Evaluación del fungicida clorotalonil y de la destrucción de mazorcas enfermas en el combate de la moniliasis del cacao. *Agronomía Costarricense* 7: 1-7.
308. González LC, Umaña G, Arauz LF. 1999. Fluctuación poblacional de *Botryodiplodia theobromae* Pat. en mango. *Agronomía Costarricense* 23: 21-29.
309. González-Ball R, Ruiz-Boyer A, Carranza J. 2004. *Lenzites acuta* Berk. (Polyporaceae), un nuevo registro para Costa Rica y Panamá. *Brenesia* 62: 75-76.
310. González-Salgado A, Patiño B, Vázquez C, González-Jaén MT. 2005. Discrimination of *Aspergillus niger* and other *Aspergillus* species belonging to section Nigri by PCR assays. *FEMS Microbiology Letters* 245: 353-361.
311. Goos RD. 1990. Review of the Anamorph Genus *Xenosporium*. *Mycologia* 82: 742-752. DOI: 10.1080/00275514.1990.12025955

312. Goswami RS, del Rio-Mendoza LE, Lamppa RS, Prischmann J. 2011. *Colletotrichum lindemuthianum* races prevalent on dry beans in North Dakota and potential sources of resistance. *Plant Disease* 95: 408-412.
313. Graham JH, Timmer LW, Drouillard DL, Peever TL. 1998. Characterization of *Phytophthora* spp. causing outbreaks of citrus brown rot in Florida. *Phytopathology* 88: 724-729.
314. Gramaje D, León M, Pérez-Sierra A, Burgess T, Armengol J. 2014. New *Phaeoacremonium* species isolated from sandalwood trees in Western Australia. *IMA FUNGUS* 5: 67-77. doi:10.5598/imafungus.2014.05.01.08
315. Granados M, Castañeda-Ruiz RF, Castro O, Minter DW, Kendrick B. 2014. Microfungi from Costa Rica. A new species and a new combination in *Codinaea*. *Mycotaxon* 127: 115-120.
316. Granados M, Wang A. 2005. Aislamiento e identificación de hongos asociados a esclerocios de *Sclerotium cepivorum*, causante de la pudrición blanca de la cebolla, en la zona alta de Cartago, Costa Rica. *Agronomía Costarricense* 1: 57-66.
317. Granados-Montero MDM, Chaves-Barrantes N, Chaverri P, Hernández-Fonseca JC, Escudero-Leyva E. 2021. Fungi associated with common bean (*Phaseolus vulgaris*) wilt in Costa Rica. *Revista Mexicana de Fitopatología* 39: 289-301.
318. Grigg R, Lichtwardt RW. 1996. Isozyme patterns in cultured Harpellales. *Mycologia*, 88:2, 219-229, DOI: 10.1080/00275514.1996.12026647
319. Groenewald M, Kang JC, Crous PW, Gams W. 2001. ITS and b-tubulin phylogeny of *Phaeoacremonium* and *Phaeoconiella* species. *Mycological Research* 105: 651-657.
320. Grube M, Lücking R, Umaña L. 2004. A new isidiate species of *Arthonia* (Ascomycota: Arthoniaceae) from Costa Rica. *Mycologia* 96: 1159-1162.
321. Guatimosim E, Pinto H, Pereira OL, Fuga CA, Vieira BS, Barreto RW. 2015. Pathogenic mycobiota of the weeds *Bidens pilosa* and *Bidens subalternans*. *Trop. plant pathol.* 40:298–317. DOI 10.1007/s40858-015-0040-x
322. Guerrero Y, Hofmann TA, Williams C, Thines M, Piepenbring M. 2011. *Asterotaxis cucurbitacearum*, a poorly known pathogen of Cucurbitaceae new to Costa Rica, Grenada and Panama. *Mycology* 2: 87-90.
323. Gullino ML, Gilardi G, Garibaldi A. 2019. Ready-to-eat salad crops: a plant pathogen's heaven. *Plant Disease* 103: 2153-2170.
324. Gurung S, Short DP, Hu X, Sandoya GV, Hayes RJ, Subbarao KV. 2015. Screening of wild and cultivated Capsicum germplasm reveals new sources of *Verticillium* wilt resistance. *Plant Disease* 99: 1404-1409.
325. Guzmán G, Horak E, Halling RE, Ramírez-Guillén F. 2009. Further studies on *Psilocybe* from the Caribbean, Central America and South America, with descriptions of new species and remarks to new records. *Sydowia* 61: 215-242.
326. Guzmán G, Ovrebo CL. 2000. New observations on sclerodermataceous fungi. *Mycologia* 92: 174-179.
327. Guzman G, Tapia F. 1995. New species, new combinations and new records of *Veligaster* (Sclerodermataceae). *Doc Mycol* 98: 185-195.
328. Guzmán P, Gepts P, Temple S, Mkandawire ABC, Gilbertson RL. 1999. Detection and differentiation of *Phaeoisariopsis griseola* isolates with the polymerase chain reaction and group-specific primers. *Plant Disease* 83: 37-42. <https://doi.org/10.1094/PDIS.1999.83.1.37>
329. Guzmán-Dávalos L, Ovrebo CL. 2001. Some species of *Gymnopilus* from Costa Rica and Panama. *Mycologia* 93: 398-404.
330. Haelewaters D, Rossi W. 2017. Laboulbeniales parasitic on American small carrion beetles: new species of *Corethromyces*, *Diphymyces*, and *Rodaucea*. *Mycologia* 109: 655-666. <https://doi.org/10.1080/00275514.2017.1379118>
331. Haelewaters D, Verhaeghen SJC, Ríos González TA, Bernal Vega JA, Villarreal Saucedo RV. 2017. New and interesting Laboulbeniales from Panama and neighboring areas. *Nova Hedwigia* 105: 267–299.
332. Hafellner J. 1983. Monographie der Flechtengattung *Letrouitita* (Lecanorales, Teloschistineae). *Nova Hedwigia* 35: 645–729.
333. Hafellner J. 2017. A new generic record of lichenized ascomycetes for Central America: *Thelocarpon laureri*. *Fritschiana (Graz)* 87: 41–46.
334. Haines JH, Dumont KP. 1984. Studies in the Hyaloscyphaceae III: the long-spored, lignicolous species of *Lachnum*. *Mycotaxon* 19: 1-39.
335. Hale ME. 1975. A revision of the lichen genus *Hypotrachyna* (Parmeliaceae) in tropical America. *Smithson Contrib Botany* 25: 1-73.
336. Hale ME. 1980. Generic delimitation in the lichen family Thelotremataceae. *Mycotaxon* 11: 130-138.

337. Halling RE, Fechner N, Nuhn M, Osmundson T, Soyong K, Arora D, Hibber DS, Binder M. 2015. Evolutionary relationships of *Heimioporus* and *Boletellus* (Boletales), with an emphasis on Australian taxa including new species and new combinations in *Aureoboletus*, *Hemileccinum* and *Xerocomus*. *Australian Systematic Botany* 28: 1-22. doi: 10.1071/SB14049.
338. Halling RE, Franco-M AE. 1996. Agaricales from Costa Rica: New taxa with ornamented spores. *Mycologia* 88: 666-670.
339. Halling RE, Horak E. 2008. *Phaeocollybia longistipitata* sp. nov. from Costa Rica. *North American Fungi* 3: 177-185. doi: 10.2509/naf2008.003.00711.
340. Halling RE, Mata M, Mueller GM. 2004. Three new boletes for Costa Rica. *Memoirs of The New York Botanical Garden* 89: 141-147.
341. Halling RE, Mata M. 2004. *Boletus flavoruber* un nouveau bolet du Costa Rica. *Bull Soc Mycol Fr* 120: 257-262.
342. Halling RE, Mueller GM, Dallwitz MJ. 1999. A new *Phylloporus* (Basidiomycetes, Boletaceae) with a key to species in Colombia and Costa Rica. *Mycotaxon* 73: 63-67.
343. Halling RE, Mueller GM. 1999. A new species and a new record for the genus *Xerula* (Agaricales) from Costa Rica. *Mycotaxon* 71: 105-110.
344. Halling RE, Mueller GM. 1999. New boletes from Costa Rica. *Mycologia* 91: 893-899.
345. Halling RE, Mueller GM. 2001. *Tylopilus bulbosus* sp. nov. from Costa Rica. *Harvard Papers in Botany* 6: 109-112.
346. Halling RE, Mueller GM. 2003. *Leccinum* (Boletaceae) in Costa Rica. *Mycologia* 95: 488-499.
347. Halling RE, Mueller GM. 2005. Common mushrooms of the Talamanca mountains, Costa Rica. *Estados Unidos: The New York Botanical Garden*.
348. Halling RE, Mueller GM. 2019. Species List. Macrofungi of Costa Rica. Recuperado el 7 de enero 2023 de: <https://www.nybg.org/bsci/res/hall/specelist.html>
349. Halling RE, Nuhn M, Fechner N, Osmundson T, Soyong K, Arora D, Hibber DS, Binder M. 2012. *Sutorius*: a new genus for *Boletus eximius*. *Mycologia* 104: 951-961. doi: 10.3852/11-376.
350. Halling RE, Nuhn M, Osmundson T, Fechner N, Trappe JM, Soyong K, Arora D, Hibber DS, Binder M. 2012. Affinities of the *Boletus chromapes* group to *Royoungia* and the description of two new genera, *Harrya* and *Australopilus*. *Australian Systematic Botany* 25: 418-431. doi: 10.1071/SB12028.
351. Halling RE. 1989. Notes on *Collybia* III. Three Neotropical species of subg. *Rhodocollybia*. *Mycologia* 81: 870-875.
352. Halling RE. 1996. Notes on *Collybia* V. *Gymnopus* section *Levipedes* in tropical South America, with comments on *Collybia*. *Brittonia* 48: 487-494.
353. Halling RE. 1999. New *Leccinum* species from Costa Rica. *Kew Bulletin* 54: 747-753.
354. Halmschlagler E, Kowalski T. 2000. *Ticogloea guttulata* - the first record from oak and the third report world-wide. *Austrian Journal of Mycology* 9: 67-73.
355. Hansford CG. 1961. The Meliolineae. A monograph. *Beihefte zur Sydowia* 2: 1-806.
356. Harrower E, Bougher NL, Winterbottom C, Henkel TW, Horak E, Matheny PB. 2015. New species in *Cortinarius* section *Cortinarius* (Agaricales) from the Americas and Australasia. *MycKeys* 11: 1-21. doi: 10.3897/mycokeys.11.5409.
357. Hartmann C. 1996. Two new foliicolous species of *Calenia* (lichens, Gomphillaceae) from Costa Rica. *Mycotaxon* 59: 483-488.
358. Hawksworth DL, Gibson IAS, Gams W. 1976. *Phialophora parasitica* associated with disease conditions in various trees. *Trans. Br. mycol. Soc.* 66: 427-431.
359. Hawksworth DL, Gibson IAS. 1976. *Phialophora parasitica* associated with disease conditions in various trees. *Trans. Br. mycol. Soc.* 66: 427-431.
360. Hayden K, Ivors K, Wilkinson C, Garbelotto M. 2006. TaqMan chemistry for *Phytophthora ramorum* detection and quantification, with a comparison of diagnostic methods. *Phytopathology* 96: 846-854.

361. Heredia G, Li DW, Wendt L, Réblová M, Arias RM, Gamboa-Angulo M, Stepánek V, Stadler M, Castañeda-Ruiz RF. 2020. *Natonodosa speciosa* gen. et sp. nov. and rediscovery of *Poroisariopsis inornata*: neotropical anamorphic fungi in Xylariales. *Mycological Progress* 19:15–30.
362. Hernández JR, Palm ME, Castlebury LA. 2002. *Puccinia hemerocallidis*, cause of daylily rust, a newly introduced disease in the Americas. *Plant Disease* 86: 1194-1198. <https://doi.org/10.1094/PDIS.2002.86.11.1194>
363. Hernández LR y Gómez LO. 1975. *Helvella macropus* (Fr.) Karst., en Costa Rica. *Brenesia* 5: 47-49.
364. Hernández W, Salas E. 2009. La inoculación con *Glomus fasciculatum* en el crecimiento de cuatro especies forestales en vivero y campo. *Agronomía Costarricense* 33: 17-30.
365. Herrera CS, Rossman AY, Samuels G, Liparini Pereira O, Chaverri P. 2015. Systematics of the *Cosmospora villosula* species complex. *Mycologia* 107: 532-557.
366. Herrera CS, Rossman AY, Samuels GJ, Lechat C, Chaverri P. 2013. Revision of the genus *Corallomycetella* with *Corallonectria* gen. nov. for *C. jatrophae* (Nectriaceae, Hypocreales). *Mycosystema* 32: 518-544.
367. Heykoop M, Moreno G, Mata M. 2017. *Psathyrella striatoannulata* sp. nov. de Costa Rica. *Persoonia* 38: 368-369. doi: 10.3767/003158517X698941.
368. Heykoop M, Moreno G, Mata M. 2019. *Psathyrella pivae* sp. nov. de Costa Rica. *Persoonia* 43: 223-425. doi: 10.3767/persoonia.2019.43.06.
369. Hidalgo H, Sutton TB, Arauz F. 1997. Epidemiology and control of citrus greasy spot on Valencia orange in the humid tropics of Costa Rica. *Plant Disease* 81: 1015-1022. <https://doi.org/10.1094/PDIS.1997.81.9.1015>
370. Hidalgo H, Sutton TB, Arauz LF. 1998. Resistencia de *Mycosphaerella citri* a benomil en plantaciones de cítricos de Costa Rica. *Agronomía Mesoamericana* 86-89.
371. Hirooka Y, Rossman AY, Samuels GJ, Lechat C, Chaverri P. 2012. A monograph of *Allantonectria*, *Nectria*, and *Pleonectria* (Nectriaceae, Hypocreales, Ascomycota) and their pycnidial, sporodochial, and synnematos anamorphs. *Studies in Mycology* 71: 1-210.
372. Hjortstam K, Ryvarden L. 2002. Studies in tropical corticioid fungi (Basidiomycotina, Aphyllophorales) Alutaceodontia, Botryodontia, Hyphodontia s.s. and Kneiffiella. *Synopsis Fungorum* 15: 7-17.
373. Hjortstam K, Ryvarden L. 2004. 2: Tropical species of *Mycoaciella* (Basidiomycotina, Aphyllophorales). *Synopsis Fungorum* 18: 14-16.
374. Hjortstam K, Ryvarden L. 2007a. Some species of corticioid fungi (Basidiomycotina, Aphyllophorales). from Costa Rica. *Synopsis Fungorum* 22: 17-24.
375. Hjortstam K, Ryvarden L. 2007b. Checklist of corticioid fungi (Basidiomycotina) from the tropics, subtropics, and the southern hemisphere. *Synopsis Fungorum* 22: 27-146.
376. Hjortstam, K, Melo I. 1997: *Resinicium friabile* sp. nov, and a survey of the genus *Resinicium* (Basidiomycotina, Aphyllophorales). – *Mycotaxon* 65: 323–329.
377. Hofmann TA, Piepenbring M. 2011. Biodiversity of *Asterina* species on Neotropical host plants: new species and records from Panama. *Mycologia* 103: 1284–1301.
378. Hofmann TA, Piepenbring M. 2014. New records of plant parasitic Asterinaceae (Dothideomycetes, Ascomycota) with intercalary appressoria from Central America and Panama. *Tropical Plant Pathology* 39: 419-427.
379. Höhne H. 2017. Distributions of lichens. Recuperado de <https://webapp5.rrz.uni-hamburg.de/lichens/formular.php>.
380. Honan AH, Desjardin DE, Perry BA, Horak E, Baroni TJ. 2015. Towards a better understanding of *Tetrapyrgos* (Basidiomycota, Agaricales): new species, type studies and phylogenetic inferences. *Phytotaxa* 231: 101-132. doi: 10.11646/phytotaxa.231.2.1.
381. Honger JO, Ablomerti FK, Coleman SR, Cornelius EW, Owusu E, Odamtenn GT. 2018. Differentiation of two Botryosphaeriaceae species isolated from declining mango trees in Ghana. *West African Journal of Applied Ecology* 26: 14-25.
382. Hongsanan S, Hyde KD, Rungtiwa Phookamsak R, et al. 2020. Refined families of Dothideomycetes: orders and families incertae sedis in Dothideomycetes. *Fungal Diversity* 105:17–318. <https://doi.org/10.1007/s13225-020-00462-6>
383. Hongsanan S, Hyde KD. 2017. Nomenclatural novelties. *Index Fungorum*. 322:1-1



384. Hongsanan S, Li YM, Liu JK, Hofmann T, Piepenbring M, Bhat JD, Boonmee S, Doilom M, Singtripop C, Tian Q, Mapook A, Zeng XY, Bahkali AH, Xu JC, Mortimer PE, Wu XH, Yang JB, Hyde KD. 2014. Revision of genera in Asterinales. *Fungal Diversity* 68:1–68.
385. Hongsanan S, Tian Q, Peršoh D, Zeng XY, Hyde KD, Chomnunti P, Boonmee S, Bahkali AH, Wen TC. 2015. Meliolales. *Fungal Diversity* 74:91–141.
386. Horak E, Halling RE. 1991. New records of *Phaeocollybia* from Colombia. *Mycologia* 83: 464-472.
387. Horak E. 2005. *Heimioporus* E. Horak gen. nov. - replacing *Heimiella* Boedijn (1951, syn. post., Boletales, Basidiomycota). *Sydowia* 56: 21-24.
388. Houbraken JAMP, Frisvad JC, Samson RA. 2010. Taxonomy of *Penicillium citrinum* and related species. *Fungal Diversity* 44:117–133.
389. Hudson O, Buchholz M, Doyle V, Sundue MA. 2019. Multilocus phylogeny of Acrospermaceae: New epibiotic species and placement of *Gonatophragmium*, *Pseudovirgaria*, and *Phaeodactylium* anamorphs. *Mycologia* 111: 1041-1055. DOI: 10.1080/00275514.2019.1668905
390. Hughes KW, Petersen RH, Mata JL, Psurtseva NV, Kovalenko AE, Morozova OV, Lickey EV, Cifuentes Blanco J, Lewis DP, Nagasawa E, Halling RE, Takehashi S, Aime MC, Bau T, Henkel T. 2007. *Megacollybia* (Agaricales). *Rep Tottori Mycol Inst* 45: 1-57.
391. Hughes SJ. 1984. Schiffnerulaceous fungi on Compositae from the Americas. *Can. J. Bot.* 62: 2213-2222.
392. Hughes SJ. 1985. *Questierella quercina* n. sp. and notes on an additional collection of *Schiffnerula oyedaeae*. *Can. J. Bot.* 64: 1591 - 1593.
393. Hughes SJ. 2007. *Heteroconium* and *Pirozynskiella* n. gen., with comments on conidium transeptation. *Mycologia* 99: 628-638. DOI: 10.1080/15572536.2007.11832557
394. Huhndorf SM, Fernandez FA, Lodge JD. 1999. Neotropical Ascomycetes 9. *Jobellisia* species from Puerto Rico and elsewhere. *Sydowia* 51: 183-196.
395. Huhndorf SM, Fernández FA, Miller AN, Lodge DJ. 2003. Neotropical Ascomycetes 12. *Mirannulata samuelsii* gen. et sp. nov. and *M. costaricensis* sp. nov., new taxa from the Caribbean and elsewhere. *Sydowia* 55: 172-180.
396. Huhndorf SM, Fernández FA, Taylor JE, Hyde KD. 2001. Two pantropical Ascomycetes: *Chaetosphaeria cylindrospora* sp. nov. and *Rimaconus*, a new genus for *Lasiosphaeria jamaicensis*. *Mycologia* 93: 1072-1080, DOI:10.1080/00275514.2001.12063242
397. Huhndorf SM, Fernández FA. 2005. Teleomorph-anamorph connections: *Chaetosphaeria raciborskii* and related species, and their *Craspedodidymum*-like anamorphs. *Fungal Diversity* 19: 23-49.
398. Huhndorf SM, Greif M, Mugambi GK, Miller AN. 2008. Two new genera in the Magnaporthaceae, a new addition to *Ceratosphaeria* and two new species of *Lentomitella*. *Mycologia* 100: 940–955. DOI: 10.3852/08-037
399. Huhndorf SM, Miller AN, Fernández FA, Lodge DJ. 2005. Neotropical Ascomycetes 13. *Cornipulvina* and *Erythromada*, two new genera from the Caribbean and elsewhere. *Fungal Diversity* 20: 59-69.
400. Huhndorf SM, Miller AN, Fernández FA. 2004. Molecular systematics of the Sordariales: the order and the family Lasiosphaeriaceae redefined. *Mycologia* 96: 368-387. DOI: 10.1080/15572536.2005.11832982
401. Huhndorf SM, Miller AN, Greif M, Samuels GJ. 2009. *Amplistroma* gen. nov. and its relation to *Wallrothiella*, two genera with globose ascospores and acrodontium-like anamorphs. *Mycologia*, 101: 904–919. DOI: 10.3852/08-213
402. Hyde KD, Jones EBG, Liu JK, Ariyawansa H, et al. 2013. Families of Dothideomycetes. *Fungal Diversity* 63:1–313. DOI 10.1007/s13225-013-0263-4
403. Hyde KD, Tennakoon DS, Jeewon R, et al. 2019. Fungal diversity notes 1036-1150: taxonomic and phylogenetic contributions on genera and species of fungal taxa. *Fungal Diversity* 96: 1-242.
404. Ibrahim-Granet O, de Bievre C. 1983. Study of the conidial development and cleistothecium-like structure of some strains of *Fonsecaea pedrosoi*. *Mycopathologia* 84: 181-186.
405. Imshaug H. 1955. The lichen genus *Buellia* in Central America. *The Bryologist* 58: 277.
406. Inacio CA, Cannon PF. 2002. Re-interpretation of *Cocconia palmae*, with description of the genus *Dianesea* (Ascomycota: Dothideomycetidae). *Fungal Diversity* 9: 71-79.

407. Ishizaki H, Kawasaki M, Aoki M, Miyaji M, Nishimura K, García Fernandez JA. 1996. Mitochondrial DNA analysis of *Sporothrix schenckii* in Costa Rica. *Journal of Medical & Veterinary Mycology* 34: 71-73.
408. Iturriaga T, Pfister DH. 2006. A monograph of the genus *Cookeina* (Ascomycota, Pezizales, Sarcoscyphaceae). *Mycotaxon* 95: 137-180.
409. Janos DP, Trappe JM. 1982. Two new *Acaulospora* species from tropical America. *Mycotaxon*. 15:515-522.
410. Jayawardena RS, Huang JK, Jin BC, Yan JY, Li XH, Hyde KD, Bahkali AH, Yin SL, Zhang GZ. 2016. An account of *Colletotrichum* species associated with strawberry anthracnose in China based on morphology and molecular data. *Mycosphere* 7: 1147-1191.
411. Ji XH, Vlasák J, Zhou LW, Wu F, Dai YC. 2017. Phylogeny and diversity of Fomitiporella (Hymenochaetales, Basidiomycota). *Mycologia* 109: 308-322. DOI: 10.1080/00275514.2017.1305943.
412. Ji XH, Wu F, Dai YC, Vlasák J. 2017. Two new species of *Fulvifomes* (Hymenochaetales, Basidiomycota) from America. *MycKeys* 22: 1-13.
413. Jiang HB, Hyde KD, Yang EF, Kakumyan P, Bahkali AH, Elgorban AM, Karunarathna SC, Phookamsak R, Lumyong S. 2021. Morphological and phylogenetic appraisal of *Ophioceras* (Ophiocercaceae, Magnaporthales). *PLoS ONE* 16(8): e0253853. <https://doi.org/10.1371/journal.pone.0253853>
414. Jong SC, Morris EF. 1968. Studies on the synnematus fungi imperfecti—III Phaeoisariopsis. *Mycopathologia Mycol Appl* 34: 263–272. <https://doi.org/10.1007/BF02051849>
415. Jong SC, Morris EF. Studies on the synnematus fungi imperfecti – III. *Phaeoisariopsis*. *Mycopathologia* 34: 263–272.
416. Ju YM, Rogers JD, Hsieh HM. 2004. New *Hypoxylon* species and notes on some names associated with or related to *Hypoxylon*. *Mycologia*, 96: 154–161.
417. Ju YM, Rogers JD, Hsieh HM. 2005. New *Hypoxylon* and *Nemania* species from Costa Rica and Taiwan. *Mycologia*, 97: 562–567.
418. Jurjevic Z, Peterson SW, Stea G, Solfrizzo M, Varga J, Hubka V, Perrone G. 2012. Two novel species of *Aspergillus* section *Nigri* from indoor air. *IMA FUNGUS* 3: 159-173. doi:10.5598/imafungus.2012.03.02.08
419. Kalb K, Staiger B, Elix JA, Lange U, Lumbsch HT. 2008. A new circumscription of the genus *Ramboldia* (Lecanoraceae, Ascomycota) based on morphological and molecular evidence. *Nova Hedwigia* 86: 23-42.
420. Kern FD, Chardón CE. 1927. Notes on some rusts of Colombia. *Mycologia* 19(5): 268-276.
421. Kern FD, Ciferri R. 1930. Fungi of Santo Domingo – III. Uredinales. *Mycologia* 22(3): 111-117.
422. Kern FD, Whetzel HH. 1926. Some new and interesting Porto Rican rusts. *Mycologia* 18(1): 39-47.
423. Kern FD. 1919. North American rusts on *Cyperus* and *Eleocharis*. *Mycologia* 11(3): 134-147.
424. Kern FD. 1933. The microcyclic species of *Puccinia* on *Solanum*. *Mycologia* 25(6): 435-441.
425. Kimbrough JW, Luck-Allen ER, Cain RF. 1972. North American species of *Coprotus* (Thelebolaceae: Pezizales). *Can. J. Bot.* 50: 957-971.
426. Kisimova-Horovitz L, Oberwinkler F, Gómez PLD. 1997. Basidiomicetos resupinados de Costa Rica. *Litschauerella*, *Subulicystidium* y *Tubulicium*. *Rev. Biol. Trop.* 45(4): 1311-1324
427. Kistenich S, Timdal E, Bendiksby M, Ekman S. 2018. Molecular systematics and character evolution in the lichen family Ramalinaceae (Ascomycota: Lecanorales). *Taxon* 67: 871-904.
428. Klofac W, Krisai-Greilhuber I. 2006. *Chalciporus*, a world-wide survey. *Osterr Z Pilzk* 15: 1-133.
429. Kolařík M, Hulcr J, Kirkendall LR. 2015. New species of *Geosmithia* and *Graphium* associated with ambrosia beetles in Costa Rica. *Czech Mycol.* 67(1): 29–35.
430. Kolařík M, Hulcr J. 2009. Mycobiota associated with the ambrosia beetle *Scolytodes unipunctatus* (Coleoptera: Curculionidae, Scolytinae). *Mycological Research* 113: 44-60.
431. Kolařík M, Kirkendall LR. 2010. Evidence for a new lineage of primary ambrosia fungi in *Geosmithia* Pitt (Ascomycota: Hypocreales). *Fungal Biology* 114: 676-689.

432. Komposch H. 2016. *Fissurina subcorallina* (lichenized Ascomycota, Ostropales), another drop in the bucket. *Herzogia* 29: 473-478.
433. Kout J, Vlasák J, Lindner DL, Banik MT. 2019. *Laetiporus lobatus* (Basidiomycota, Polyporales), a new fungal species from Costa Rica. *Phytotaxa* 408(3): 208–214. <https://doi.org/10.11646/phytotaxa.408.3.5>.
434. Koziak A, Chavarría F, Díaz J, García M, Janzen D, Thorn G. 2007. Costa Rican species of *Nematoctonus* (anamorphic Pleurotaceae). *Can J Bot* 85: 749-761. doi: 10.1139/B07-049.
435. Kraus GF, Druzhinina I, Gams W, Bissett J, Zafari D, Szakacs G, Koptchinski A, Prillinger H, Zare, Kubicek CP. 2004. *Trichoderma brevicompactum* sp. nov. *Mycologia* 96: 1059-1073. DOI:10.1080/15572536.2005.11832905
436. Krays A, Huhndorf SM, Miller AN. 2015. Coprophilous contributions to the phylogeny of Lasiosphaeriaceae and allied taxa within Sordariales (Ascomycota, Fungi). *Fungal Diversity* 70:101–113.
437. Kuo M, Ortiz-Santana B. 2020. Revision of leccinoid fungi, with emphasis on North American taxa, based on molecular and morphological data. *Mycologia* 112: 197-211. doi: 10.1080/00275514.2019.1685351.
438. Lachance MA, Bowles JM, Starmer WT. 2003. *Metschnikowia santaceiliae*, *Candida hawaiiiana*, and *Candida kipukae*, three new yeast species associated with insects of tropical morning glory. *FEMS Yeast Research* 3: 97-103.
439. Lachance MA, Bowles JM. 2002. *Metschnikowia arizonensis* and *Metschnikowia dekortorum*, two new large-spored yeast species associated with floricolous beetles. *FEMS Yeast Research* 2: 81-86.
440. Lachance MA, Bowles JM. 2004. *Metschnikowia similis* sp. nov. and *Metschnikowia colocasiae* sp. nov., two ascomycetous yeasts isolated from *Conotelus* spp. (Coleoptera: Nitidulidae) in Costa Rica. *Studies in Mycology* 50: 69-76.
441. Lachance MA, Dobson J, Wijayanayaka DN, Smith AME. 2010. The use of parsimony network analysis for the formal delineation of phylogenetic species of yeasts: *Candida apicola*, *Candida azyma*, and *Candida parazyza* sp. nov., cosmopolitan yeasts associated with floricolous insects. *Antonie van Leeuwenhoek* 97:155–170.
442. Lachance MA, Klemens JA, Bowles JM, Janzen DH. 2001. The yeast community of sap fluxes of Costa Rican *Maclura* (*Chlorophora*) *tinctoria* and description of two new yeast species, *Candida galis* and *Candida ortonii*. *FEMS Yeast Research* 1: 87-92.
443. Lachance MA, Kurtzman CP. 2013. The yeast genus *Tortispora* gen. nov., description of *Tortispora ganteri* sp. nov., *Tortispora mauiana* f.a., sp. nov., *Tortispora agaves* f.a., sp. nov., *Tortispora sangerardonensis* f.a., sp. nov., *Tortispora cuajiniquilana* f.a., sp. nov., *Tortispora starmeri* f.a., sp. nov. and *Tortispora phaffii* f.a., sp. nov., reassignment of *Candida caseinolytica* to *Tortispora caseinolytica* f.a., comb. nov., emendation of *Botryozyma*, and assignment of *Botryozyma*, *Tortispora* gen. nov. and *Trigonopsis* to the family Trigonopsidaceae fam. nov. *International Journal of Systematic and Evolutionary Microbiology* 63: 3104–3114. DOI 10.1099/ijs.0.052209-03104 052209
444. Lachance MA, Lawrie D, Dobson J, Piggott J. 2008. Biogeography and population structure of the Neotropical endemic yeast species *Metschnikowia lochheadii*. *Antonie van Leeuwenhoek* 94: 403–414. DOI 10.1007/s10482-008-9258-7
445. Lachance MA, Wijayanayaka TM, Bundus JD, Wijayanayaka DN. 2010. Ribosomal DNA sequence polymorphism and the delineation of two ascosporic yeast species: *Metschnikowia agaves* and *Starmerella bombicola*. *FEMS Yeast Res* 11: 324–333. DOI:10.1111/j.1567-1364.2011.00718.x
446. Landeros F, Carranza J, Guzmán-Dávalos L. 2014. Registros nuevos del género *Helvella* (Fungi: Ascomycota) para Costa Rica. *Revista Mexicana de Micología* 39:13-19.
447. Langer G, Langer E. 1998. *Haplotrichum parmastii* sp. nov. collected in Costa Rica. *Folia Cryptog Estonica Fasc.* 33: 63-69.
448. Lassois L, Jijakli MH, Chillet M, De Lapeyre de Bellaire L. 2010. Crown rot of bananas: preharvest factors involved in postharvest disease development and integrated control methods. *Plant Disease* 94: 648-658.
449. Latterell FM, Rossi AE. 1984. A New Species of *Hyalothyridium* Associated with a Leaf Spot of Maize in Latin America. *Mycologia* 76: 506-514. DOI:10.1080/00275514.1984.12023871
450. Laundon GF. 1965. Rust fungi. III: on Alangiaceae, Amaranthaceae and Amaryllidaceae. *Mycological Papers* 102: 1-52.
451. Lavagni E, Carranza J. 1987. Aislamiento e identificación de los hongos presentes en algunas maderas tratadas con pentaclorofenol. *Agronomía Costarricense* 12: 59-66.
452. Lee S, Tamayo-Castillo G, Pang C, Clardy J, Cao S, Kim KH. 2016. Diketopiperazines from Costa Rican endolichenic fungus *Colpoma* sp. CR1465A. *Bioorganic & Medicinal Chemistry Letters* 26: 2438-2441. <http://dx.doi.org/10.1016/j.bmcl.2016.03.115>
453. Lenné JM. 1990. A world list of fungal diseases of tropical pasture species. *Phytopathological Paper* 31: i-xv, 1-162.

454. Li S, Hartman GL, Boykin DL. 2010. Aggressiveness of *Phomopsis longicolla* and other *Phomopsis* spp. on soybean. *Plant Disease* 94: 1035-1040. <https://doi.org/10.1094/PDIS-94-8-1035>
455. Li S, Rupe J, Chen P, Shannon G, Wrather A, Boykin D. 2015. Evaluation of diverse soybean germplasm for resistance to *Phomopsis* seed decay. *Plant Disease* 99: 1517-1525.
456. Li YC, Ortíz-Santana B, Zeng NK, Feng B, Yang ZL. 2014. Molecular phylogeny and taxonomy of the genus *Veloporphyrellus*. *Mycologia* 106: 291-306. doi: 10.3852/106.2.291.
457. LICHCOL. 2020. The Lichen Herbarium (database of the lichen herbarium at B). Recuperado de <https://archive.bgbm.org/scripts/ASP/lichcol/>.
458. Lichtwardt RW. 1997. Costa Rican gut fungi (Trichomycetes) infecting lotic insect larvae. *Rev Biol Trop* 45:1349-1383.
459. Lickey EB, Hughes KW, Petersen RH. 2003. Phylogenetic and taxonomic studies in *Artomyces* and *Clavicornia* (Homobasidiomycetes, Auriscalpiaceae). *Sydowia* 55: 181-254.
460. Lichtwardt RW. 1994. Trichomycete fungi living in the guts of Costa Rican phytotelm larvae and other lentic dipterans. *Rev. Biol. Trop.* 42: 31-48.
461. Lindblad I, Ryvarden L. 1999. Studies in neotropical polypores 3. New and interesting Basidiomycetes (Poriales) from Costa Rica. *Mycotaxon* 71: 335-359.
462. Lips KR, Green DE, Papendick R. 2003. Chytridiomycosis in Wild Frogs from Southern Costa Rica. *Journal of Herpetology* 37: 215–218.
463. Liu B, Wasilwa LA, Morelock TE, O'Neill NR, Correll JC. 2007. Comparison of *Colletotrichum orbiculare* and several allied *Colletotrichum* spp. for mtDNA RFLPs, intron RFLP and sequence variation, vegetative compatibility, and host specificity. *Phytopathology* 97: 1305-1314.
464. Liu F, Cai L, Crous PW, Damm U. 2014. The *Colletotrichum gigasporum* species complex. *Persoonia* 33: 83–97. <http://dx.doi.org/10.3767/003158514X684447>
465. Liu JK, Phookamsak R, Doilom M, et al. 2012. Towards a natural classification of Botryosphaerales. *Fungal Diversity*. DOI 10.1007/s13225-012-0207-4
466. Liu M, Rombach MC, Humber RA, Hodge KT. 2005. What's in a name? *Aschersonia insperata*: a new pleoanamorphic fungus with characteristics of *Aschersonia* and *Hirsutella*. *Mycologia* 97: 246-253. DOI: 10.1080/15572536.2006.11832858
467. Liu SL, Nakasone KK, Wu SH, He SH, Dai YC. 2018. Taxonomy and phylogeny of *Lopharia* s.s., *Dendrodontia*, *Dentocorticium* and *Fuscocerreana* (Basidiomycota, Polyporales). *MycoKeys* 32: 25-48.
468. Loaiza JE, Rivera G. 2000. Potencial biocida de extractos de *Gliricidia sepium* contra patógenos del cultivo de la papaya (*Carica papaya*). *Agronomía Costarricense* 24: 29-36.
469. Looney BP, Birkebak JM, Matheny PB. 2013. Systematics of the genus *Auricularia* with an emphasis on species from the southeastern United States. *North American Fungi* 8: 1-25. doi: <http://dx.doi.org/10.2509/naf2013.008.006>.
470. Lowe JL. 1963. A synopsis of *Poria* and similar fungi from the Tropical Regions of the World. *Mycologia* 55: 453-486.
471. Lowy B. 1972. A new species of *Arrhytidia*. *Mycologia* 64: 904-906.
472. Lu YZ, Liu JK, Hyde KD, Jeewon R, Kang JC, Fan C, Boonmee S, Bhat DJ, Luo ZL, Lin CG, Eungwanichayapant PD. 2018. A taxonomic reassessment of Tubeufiales based on multi-locus phylogeny and morphology. *Fungal Diversity* 92:131–344.
473. Lücking R, Aptroot A, Chaves JL, Sipman HJM, Umaña L. 2007. A first assessment of the Ticolichen biodiversity inventory in Costa Rica: The genus *Coccocarpia* (Peltigerales: Coccocarpiaceae). *Bibliotheca Lichenologica* 95: 429-457.
474. Lücking R, Aptroot A, Umaña L, Chaves JL, Sipman HJM, Nelsen M. 2006. A first assessment of the Ticolichen biodiversity inventory in Costa Rica: The genus *Gyalideopsis* and its segregates (Ostropales: Gomphillaceae), with a world-wide key and name status checklist. *The Lichenologist* 38: 131-160.
475. Lücking R, Archer AW, Aptroot A. 2009a. A world-wide key to the genus *Graphis* (Ostropales: Graphidaceae). *The Lichenologist* 41: 363-452.
476. Lücking R, Breuss O, Nelsen M, Navarro E, Aptroot A, Chaves JL, Trest M, Will-Wolf S. 2013a. *Porina squamulifera* (Lichenized Ascomycota: Porinaceae), a new species from tropical rainforest in Costa Rica with unique thallus morphology. *Herzogia* 26: 223-230.

477. Lücking R, Chaves JL, Sipman HJM, Umaña L, Aptroot A. 2008b. A first assessment of the Ticolichen Biodiversity Inventory in Costa Rica: The genus *Graphis*, with notes on the genus *Hemithecium* (Ascomycota: Ostropales: Graphidaceae). *Fieldiana Botany, New Series* 46: 1-126.
478. Lücking R, Dal Forno M, Moncada B, Coca L, Vargas-Mendoza L, Aptroot A, Arias LJ, Besal B, Bungartz F, Cabrera-Amaya DM, Cáceres MES, Chaves JL, Eliasaro S, Gutiérrez MC, Hernández-M JE, Herrera-Campos MA, Holgado-Rojas ME, Jonitz H, Kukwa M, Lucheta F, Madriñán S, Marcelli MP, Martins SMA, Mercado-Díaz JA, Molina JA, Morales EA, Nelson PR, Nugra F, Ortega F, Paredes T, Patiño AL, Peláez-Pulido RN, Pérez-Pérez RE, Perlmutter GB, Rivas-Plata ME, Robayo J, Rodríguez C, Simijaca DF, Soto-Medina E, Spielmann AA, Suárez-Corredor A, Torres JM, Vargas CA, Yáñez-Ayabaca A, Weerakoon G, Wilk K, Celis-Pacheco M, Diazgranados M, Brokamp G, Borsch T, Gillevet PM, Sikaroodi M, Lawrey JD. 2016. Turbo-taxonomy to assemble a megadiverse lichen genus: seventy new species of *Cora* (Basidiomycota: Agaricales: Hygrophoraceae), honouring David Leslie Hawksworth's seventieth birthday. *Fungal Diversity* 84: 119–138.
479. Lücking R, Dal-Forno M, Lawrey J, Bungartz F, Holgado-Rojas M, Hernandez J, Marcelli M, Moncada B, Morales E, Nelsen M, Paz E, Salcedo L, Spielmann A, Wilk K, Will-Wolf S, Yáñez-Ayabaca A. 2013b. Ten new species of lichenized Basidiomycota in the genera *Dictyonema* and *Cora* (Agaricales: Hygrophoraceae), with a key to all accepted genera and species in the *Dictyonema* clade. *Phytotaxa* 139: 1-38.
480. Lücking R, Lücking A. 1995. Foliicolous lichens and bryophytes from Cocos Island, Costa Rica. A taxonomical and ecogeographical study. I. Lichens. *Herzogia* 11: 143-174.
481. Lücking R, Lumbsch HT, Di Stéfano JF, Lizano D, Carranza J, Bernecker A, Chaves JL, Umaña L. 2008c. *Eremithallus costaricensis* (Ascomycota: Lichinomycetes: Eremithallales), a new fungal lineage with a novel lichen symbiotic lifestyle discovered in an urban relict forest in Costa Rica. *Symbiosis* 46: 161-170.
482. Lücking R, Lumbsch HT. 2001. New species or interesting records of foliicolous lichens. VI. *Sporopodium aeruginascens* (Lecanorales), with notes on the chemistry of *Sporopodium*. *Mycotaxon* 78: 23-27.
483. Lücking R, Mangold A, Lumbsch T. 2016a. A worldwide key to species of the genera *Myriotrema* and *Glaucotrema* (Lichenized Ascomycota: Graphidaceae), with a nomenclatural checklist of species published in *Myriotrema*. *Herzogia* 29: 493-513.
484. Lücking R, Moncada B. 2017b. Dismantling Marchandiomphalina into *Agonimia* (Verrucariaceae) and *Lawreymyces* gen. nov. (Corticaceae): setting a precedent to the formal recognition of thousands of voucherless fungi based on type sequences. *Fungal Diversity* 84: 119–138.
485. Lücking R, Prado R, Lumbsch T, Will-Wolf S, Aptroot A, Sipman HJM, Umaña L, Chaves JL. 2008a. Phylogenetic patterns of morphological and chemical characters and reproductive mode in the *Heterodermia obscurata* group in Costa Rica (Ascomycota, Physciaceae). *Systematics and Biodiversity* 6: 31-41.
486. Lücking R, Rivas-Plata E, Chavez JL, Umaña L, Sipman HJM. 2009. How many tropical lichens are there... really? *Bibliotheca Lichenologica* 100: 399-418.
487. Lücking R, Serusiaux E. 1997. *Musaespora kalbii* (lichenized Ascomycetes: Melanommatales), a new foliicolous lichen with a pantropical distribution. *Nordic Journal of Botany* 16: 661-668.
488. Lücking R, Stuart B, Lumbsch T. 2004. Phylogenetic relationships of Gomphillaceae and Asterothyriaceae: evidence from a combined Bayesian analysis of nuclear and mitochondrial sequences. *Mycologia* 96: 283-294.
489. Lücking R, Vezda A. 1998. Taxonomic studies in foliicolous species of the genus *Porina* (lichenized Ascomycotina: Trichotheliaceae) – II. The *Porina* epiphylla group. *Willdenowia* 28: 181-225.
490. Lücking R. 1992. Foliicolous Lichens—A contribution to the knowledge of the lichen flora of Costa Rica, Central America. *Beih Nova Hedwigia* 104: 1–179.
491. Lücking R. 1995. Lista preliminar de líquenes folícolas de las principales áreas protegidas de Costa Rica. *Brenesia* 43-44: 39-46.
492. Lücking R. 1997. Additions and corrections to the knowledge of the foliicolous lichen flora of Costa Rica. The genus *Fellhanera*, with notes on *Bacidia pauciseptata*. *Tropical Bryology* 13: 141-173.
493. Lücking R. 1998a. Additions and corrections to the knowledge of the foliicolous lichen flora of Costa Rica. The genus *Trichothelium* (lichenized Ascomycetes: Trichotheliaceae). *Nova Hedwigia* 66: 375-417.
494. Lücking R. 1998b. *Gyalideopsis cochlearifer*, a new pantropical, commensalistic species on foliicolous Gomphillaceae. *The Lichenologist* 30: 543-549.
495. Lücking R. 1999a. Additions and corrections to the knowledge of the foliicolous lichen flora of Costa Rica. The family Asterothyriaceae and the genus *Chroodiscus* (Thelotremaataceae), with a phylogenetic analysis. *Cryptogamie Mycologie* 20: 193-224.

496. Lücking R. 1999b. Additions and corrections to the foliicolous lichen flora of Costa Rica. The family Gyalectaceae. *The Lichenologist* 31: 359-374.
497. Lücking R. 1999c. Ergänzungen und Verbesserungen zur Kenntnis der foliikolen Flechtenflora Costa Ricas. Die Familie Ectolechiaceae. *Phyton (Horn, Austria)* 39: 131-165.
498. Lumbsch HT, Ahti T, Altermann S, Amo De Paz G, Aptroot A, Arup U, Bárcenas Peña A, Bawingan PA, Benatti MN, Betancourt L, Björk CR, Boonpragob K, Brand M, Bungartz F, Cáceres MÉS, Candan M, Chaves JL, Clerc P, Common R, Coppins BJ, Crespo A, Dal Forno M, Divakar PK, Duya MV, Elix JA, Elvebakk A, Fankhauser JD, Farkas E, Ferraro LI, Fischer E, Galloway DJ, Gaya E, Giralt M, Goward T, Grube M, Hafellner J, Hernández M JE, Herrera Campos MA, Kalb K, Kärnefelt I, Kantvilas G, Killmann D, Kirika P, Knudsen K, Komposch H, Kondratyuk S, Lawrey JD, Mangold A, Marcelli MP, McCune B, Messuti MI, Michlig A, Miranda González R, Moncada B, Naikatini A, Nelsen MP, Øvstedal DO, Palice Z, Papong K, Parnmen S, Pérez-Ortega S, Printzen C, Rico VJ, Rivas Plata E, Robayo J, Rosabal D, Ruprecht U, Salazar Allen N, Sancho L, Santos De Jesus L, Santos Vieira T, Schultz M, Seaward MRD, Sérusiaux E, Schmitt I, Sipman HJM, Sohrabi M, Søchting U, Zeuthen Søgaaard M, Sparrius LB, Spielmann A, Spribille T, Sutjaritturakan J, Thammathaworn A, Thell A, Thor G, Thüs H, Timdal E, Truong C, Türk R, Umaña Tenorio L, Upreti DK, Van Den Boom P, Vivas Rebueta M, Wedin M, Will-Wolf S, Wirth V, Wirtz N, Yahr R, Yeshitela K, Ziemmeck F, Wheeler T, Lücking R. 2011. One hundred new species of lichenized fungi: a signature of undiscovered global diversity. *Phytotaxa* 18: 1–127.
499. Luo ZL, Hyde KD, Liu JK, et al. 2019. Freshwater Sordariomycetes. *Fungal Diversity*. <https://doi.org/10.1007/s13225-019-00438-1>
500. Lutz M, Piątek M. 2016. Phylogenetic placement, DNA barcoding, morphology and evidence for the spreading of *Entyloma cosmi*, a species attacking *Cosmos bipinnatus* in temperate climate gardens. *European Journal of Plant Pathology* 145: 857-869.
501. Maas Geesteranus RA, Ovrebo CL. 1997. A new species and new section of *Mycena* from Costa Rica. *Persoonia* 16: 393-395.
502. MacKenzie SJ, Peres NA, Barquero MP, Arauz LF, Timmer LW. 2009. Host range and genetic relatedness of *Colletotrichum acutatum* isolates from fruit crops and leatherleaf fern in Florida. *Phytopathology* 99: 620-631. <https://doi.org/10.1094/PHYTO-99-5-0620>
503. Mahuku GS, Jara CE, Cajiao C, Beebe S. 2002. Sources of resistance to *Colletotrichum lindemuthianum* in the secondary gene pool of *Phaseolus vulgaris* and in crosses of primary and secondary gene pools. *Plant Disease* 86: 1383-1387. <https://doi.org/10.1094/PDIS.2002.86.12.1383>
504. Mahuku GS, Riascos JJ. 2004. Virulence and molecular diversity within *Colletotrichum lindemuthianum* isolates from Andean and Mesoamerican bean varieties and regions. *European Journal of Plant Pathology* 110: 253-263.
505. Mains EB. 1939. *Bitzea*, a new genus in the Pucciniaceae. *Mycologia* 31(1): 33-42.
506. Mains EB. 1951. Entomogenous Species of *Hirsutella*, *Tilachlidium* and *Synnematium*. *Mycologia*, 43: 691-718. DOI: 10.1080/00275514.1951.12024164
507. Mains EB. 1958. North American Entomogenous Species of *Cordyceps*. *Mycologia* 50: 169-222. DOI: 10.1080/00275514.1958.12024722
508. Manamgoda DS, Cai L, Bahkali AH, Chukeatirote E, Hyde KD. 2011. *Cochliobolus*: an overview and current status of species. *Fungal Diversity* 51:3–42.
509. Mangold A, Martín M, Lücking R, Lumbsch T. 2008. Molecular phylogeny suggests synonymy of Thelotremaataceae within Graphidaceae (Ascomycota: Ostropales). *Taxon* 57: 476-486.
510. Marasas WFO, Rheeder JP, Logrieco A, Van Wyk PS, Juba JH. 1998. *Fusarium nelsonii* and *F. musarum*: two new species in Section *Arhrosporiella* related to *F. camptoceras*. *Mycologia* 90: 505-513. DOI: 10.1080/00275514.1998.12026935
511. Mardones M, Carranza-Velázquez J, Mata-Hidalgo M, Amador-Fernández X, Urbina H. 2023. Taxonomy and phylogeny of the genus *Ganoderma* (Polyporales, Basidiomycota) in Costa Rica. *MycKeys* 100: 5–47. <https://doi.org/10.3897/mycokeys.100.106810>
512. Mardones M, Trampe-Jaschik T, Hofmann T, Mangelsdorff RD, Piepenbring M. 2018a. New neotropical species of Phyllachorales based on molecular, morphological, and ecological data. *Mycologia* 110: 835-859. DOI: 10.1080/00275514.2018.1481720
513. Mardones M, Trampe-Jaschik T, Hofmann T.A., Piepenbring M. 2018b. Contribution to the phylogeny and a new species of *Cocodiella* (Phyllachorales). *Mycological Progress* 205-2013. <https://doi.org/10.1007/s11557-017-1353-6>
514. Mardones M, Trampe-Jaschik T, Oster S, Elliott M, Urbina H, Schmitt I, Piepenbring M. 2017. Phylogeny of the order Phyllachorales (Ascomycota, Sordariomycetes): among and within order relationships based on five molecular loci. *Persoonia* 39: 74–90. <https://doi.org/10.3767/persoonia.2017.39.04>
515. Mardones M, Trampe-Jaschik T, Piepenbring M, Romberg MK, Urbina H. 2022. *Telimena* (Telimenaceae, Phyllachorales) species on Neotropical host plants: New species, combinations and revision of species on Polygonaceae. *Nova Hedwigia* 114: 435-460.

516. Mardones M, Trampe-Jaschik T, Piepenbring M. 2020. Phylogenetics and taxonomy of Telimenaceae (Phyllachorales) from Central America. *Mycological Progress* 19: 1587-1599. DOI 10.1007/s11557-020-01649-6
517. Marin D, Sutton TB, Blankenship S, Swallow WH. 1996. Pathogenicity of fungi associated with crown rot of bananas in Latin America on Grande Naine and disease-resistant hybrid bananas. *Plant Disease* 80: 525-528.
518. Marín-Vargas DH, Sutton TB, Blankenship SM, Swallow WH. 1996. Pathogenicity of fungi associated with crown rot of bananas in Latin America on Grande Naine and disease-resistant hybrid bananas. *Plant Disease* 80: 525-528.
519. Martin FN, Coffey MD, Zeller K, Hamelin RC, Tooley P, Garbelotto M, Berger PH. 2009. Evaluation of molecular markers for *Phytophthora ramorum* detection and identification: testing for specificity using a standardized library of isolates. *Phytopathology* 99: 390-403.
520. Martin FN, Tooley PW. 2004. Identification of *Phytophthora* isolates to species level using restriction fragment length polymorphism analysis of a polymerase chain reaction-amplified region of mitochondrial DNA. *Phytopathology* 94: 983-991.
521. Maryani N, Sandoval-Denis M, Lombard L, Crous PW, Kema GHJ. 2019. New endemic *Fusarium* species hitch-hiking with pathogenic *Fusarium* strains causing Panama disease in small-holder banana plots in Indonesia. *Persoonia* 43, 2019: 48 – 69. <https://doi.org/10.3767/persoonia.2019.43.02>
522. Mata JL, Halling RE, Hughes KW, Petersen RH. 2004. *Rhodocollybia* in neotropical montane forests. *Mycological Progress* 3: 337-351.
523. Mata JL, Halling RE, Petersen RH. 2004. New species and mating system reports in *Gymnopus* (Agaricales) from Costa Rica. *Fungal Diversity* 16: 113-129.
524. Mata JL, Hughes KW, Petersen RH. 2007. An investigation of /omphalotaceae (Fungi: Euagarics) with emphasis on the genus *Gymnopus*. *Sydowia* 20: 191-289.
525. Mata JL, Mishra NT. 2015. Comparative Study of Worldwide Species of Genus *Lentinus* (= *Lentinula*, Higher Basidiomycetes) Based on Linear Mycelium Growth. *International Journal of Medicinal Mushrooms* 17: 481–489.
526. Mata JL, Ovrebo CL. 2009. New reports and illustrations of *Gymnopus* for Costa Rica and Panama. *Fungal Diversity* 38: 125-131.
527. Mata JL, Petersen R, Hughes K. 2001. The genus *Lentinula* in the Americas. *Mycologia* 93: 1102-1112.
528. Mata JL, Petersen RH. 2000. A new species of *Lentinula* (Agaricales) from Central America. *Mycoscience* 41: 351-355.
529. Mata L, Mata GG. 1959. Demostración de *Microsporum gypseum* y *Keratinomyces ajelloi* en suelos de Costa Rica. *Rev. Biol. Trop.* 7: 119-123.
530. Mata M, Halling RE, Mueller GM. 2003. *Macrohongos de Costa Rica*. Vol.2. I Edición. Costa Rica: INBio.
531. Mata M, Ruiz-Boyer A, Carranza J, Ryvardeen L. 2007. Nuevos registros de hongos poliporoides (Basidiomycetes) para Costa Rica. *Boletín de la Sociedad Micológica de Madrid* 31: 123-129.
532. Mata M, Ryvardeen L. 2007. Studies in Neotropical polypores 24 New and interesting species from Costa Rica. *Synopsis Fungorum* 23: 51-55.
533. Mata M, Ryvardeen L. 2010. Studies in neotropical polypores 27. More new and interesting species from Costa Rica. *Synopsis Fungorum, Fungiflora*, Oslo.
534. Mata M. 2003. *Macrohongos de Costa Rica*. Vol.1. II Edición. Costa Rica: INBio.
535. Matarrita-Carranza B, Moreira-Soto RD, Murillo-Cruz C, Mora M, Currie CR, Pinto-Tomas AA. 2016. Evidence for widespread associations between Neotropical Hymenopteran Insects and Actinobacteria. *Frontiers in Microbiology* 8: 1-17. doi: 10.3389/fmicb.2017.02016
536. Matarrita-Díaz L, Sandoval-Islas JS, Arguedas-Gamboja M. 2006. Prevalencia de la roya *Olivea tectonae* (Rac.) de la teca (*Tectona grandis* Lf) en Costa Rica. *Revista Forestal Mesoamericana Kurú* 3(9).
537. Matheny PB, Vellinga EC, Bougher NL, Ceska O, Moreau PA, Neves MA, Ammirati JF. 2007. Taxonomy of displaced species of *Tubaria*. *Mycologia* 99: 569-585.
538. Mayers CG, Bateman CC, Harrington TC. 2018. New *Meredithiella* species from mycangia of *Corthylus* ambrosia beetles suggest genus-level coadaptation but not species-level coevolution. *Mycologia* 110: 63-78. <https://doi.org/10.1080/00275514.2017.1400353>

539. Mbenoun M, Wingfield MJ, Begoude Boyogueno AD, Wingfield BD, Roux J. 2014. Molecular phylogenetic analyses reveal three new *Ceratocystis* species and provide evidence for geographic differentiation of the genus in Africa. *Mycol Progress* 13:219–240. DOI 10.1007/s11557-013-0907-5
540. McCook S, Vandermeer J. 2015. The big rust and the red queen: long-term perspectives on coffee rust research. *Phytopathology* 105: 1164-1173.
541. McKay AH, Förster H, Adaskaveg JE. 2012. Distinguishing *Galactomyces citri-aurantii* from *G. geotrichum* and characterizing population structure of the two postharvest sour rot pathogens of fruit crops in California. *Phytopathology* 102: 528-538.
542. Medeiros I, Kraichak E, Lücking R, Mangold A, Lumbsch T. 2017. Assembling a taxonomic monograph of tribe Wirthiotremateae (Lichenized Ascomycota: Ostropales: Graphidaceae). *Fieldiana Life and Earth Sciences* 9: 1-31.
543. Meswaet Y, Mangelsdorff R, Yorou NS, Piepenbring M. 2021. Unravelling unexplored diversity of cercosporoid fungi (Mycosphaerellaceae, Mycosphaerellales, Ascomycota) in tropical Africa. *Mycosphaerella* 81: 69–138.
544. Miettinen O, Larsson KH, Spirin V. 2019. *Hydnoporia*, an older name for *Pseudochaete* and *Hymenochaetopsis*, and typification of the genus *Hymenochaete* (Hymenochaetales, Basidiomycota). *Fungal Systematics and Evolution* 4: 77-96.
545. Miles TD, Martin FN, Coffey MD. 2015. Development of rapid isothermal amplification assays for detection of *Phytophthora* spp. in plant tissue. *Phytopathology* 105: 265-278. <https://doi.org/10.1094/PHYTO-05-14-0134-R>
546. Miller AN, Huhndorf SM, Fournier J. 2014. Phylogenetic relationships of five uncommon species of *Lasiosphaeria* and three new species in the Helminthosphaeriaceae (Sordariomycetes). *Mycologia* 106: 505–524. DOI: 10.3852/13-223
547. Miller AN, Huhndorf SM. 2001. Neotropical Ascomycetes 10. New and interesting *Cercophora* species. *Sydowia* 53: 211-226.
548. Miller JH, Burton MG. 1943a. Study of *Bagnisiopsis* Species on the Melastomaceae. *Mycologia* 35:312-334.
549. Miller JH, Burton MG. 1943b. Studies in Some Venezuelan Ascomycetes Collected by C. E. Chardon and A. S. Muller. *Mycologia* 35: 83-94. DOI:10.1080/00275514.1943.12017466
550. Miller OK Jr, Ovrebo CL, Burk WR. 1991. *Neolysurus*: a new genus in the Clathraceae. *Mycol Res* 95: 1230-1234.
551. Mix AJ. 1939. Mycelial Habit in Some Species of *Taphrina*. *Mycologia*, 31: 445-454. DOI: 10.1080/00275514.1939.12017361
552. Moberg R. 1990. The lichen genus *Physcia* in Central and South America. *Nordic Journal of Botany* 10: 319-342.
553. Molina-Chaves A, Gómez-Alpizar L, Umaña-Rojas G. 2017. Identificación de especies del género *Colletotrichum* asociadas a la antracnosis en papaya (*Carica papaya* L.) en Costa Rica. *Agronomía Costarricense* 41: 69-80. <https://doi.org/10.15517/rac.v41i1.29752>
554. Moncada B, Lücking R, Betancourt-Macuase L. 2013. Phylogeny of the Lobariaceae (lichenized Ascomycota: Peltigerales), with a reappraisal of the genus *Lobariella*. *The Lichenologist* 45: 203-263.
555. Moncada B. 2012. El género *Sticta* en Colombia, Taxonomía, Ecogeografía e Importancia. (Tesis doctoral). Universidad Nacional de Colombia, Bogotá, Colombia.
556. Montero-Astúa M, Rivera C. 2005. Biología e importancia económica de *Spongospora subterranea* f. sp. *subterranea*, agente causal de la sarna polvorienta o roña de la papa. *Manejo Integrado de Plagas y Agroecología* 74: 77-84.
557. Montero-Astúa M, Vásquez V, Rivera C. 2002. Occurrence of potato powdery scab caused by *Spongospora subterranea* f. sp. *subterranea* in Costa Rica. *Plant Disease* 86: 1273-1273. <https://doi.org/10.1094/PDIS.2002.86.11.1273B>
558. Montero-Astúa M, Vásquez V, Rivera C. 2004. Potato powdery scab, caused by *Spongospora subterranea* f. sp. *subterranea*, in Costa Rica. *Potato Research* 47: 25-34.
559. Montero-Astúa M, Vasquez V, Turechek WW, Merz U, Rivera C. 2008. Incidence, distribution, and association of *Spongospora subterranea* and Potato mop-top virus in Costa Rica. *Plant Disease* 92: 1171-1176. <https://doi.org/10.1094/PDIS-92-8-1171>
560. Montoya L, Bandala VM, Halling RE. 2003. *Lactarius furcatus* in Mexico and Costa Rica. *Mycotaxon* 87: 311-316.
561. Montoya L, Bandala VM, Mata M. 2007. Studies on *Lactarius*: two new records from Costa Rica and additional information from Mexico. *Mycotaxon* 99: 279-290.
562. Mora BB, Vargas E. 1981. Evaluación de la resistencia de cultivares de Chile (*Capsicum* spp.) a la pudrición basal causada por *Phytophthora capsici* Leonian. *Agronomía Costarricense* 5: 109-113.



563. Mora D, Morales Bance F. 1980. Etiología de la pudrición radical de la papaya en Costa Rica. *Agronomía Costarricense* 4: 191-193.
564. Mora F, Blum L. 1990. Virulencia de aislamientos locales de *Rhizoctonia solani* en frijol (*Phaseolus vulgaris*) en invernadero. *Agronomía Costarricense* 14: 247-250.
565. Mora F. 1996. Combate biológico de *Rhizoctonia solani* mediante el empleo de *Rhizobium leguminosarum* biovar phaseoli en el campo. *Agronomía Mesoamericana* 23-30.
566. Mora M, Lacey J. 1997. Handling and aflatoxin contamination of white maize in Costa Rica. *Mycopathologia* 138: 77-89.
567. Morais PB, Teixeira LCRS, Bowles JM, Lachance MA, Rosa CA. 2004. *Ogataea falcaomoraisii* sp. nov., a sporogenous methylophilic yeast from tree exudates. *FEMS Yeast Research* 5: 81-85.
568. Morales MI, Nassar M, Sáenz JA. 1974. Lycoperdaceae of Costa Rica. I. The genus *Morganella*. *Rev Biol Trop* 21: 221-227.
569. Morales MI. 1966. Contribución al estudio de los Gasteromicetes de Costa Rica. Tesis para optar por el grado de Licenciatura en Biología. Universidad de Costa Rica.
570. Morales-Bance F. 1981. Ensayo de fungicidas para el combate de antracnosis en guanábana (*Annona muricata* L.). *Agronomía Costarricense* 5: 75-80.
571. Moreno RA. 1977. Efecto de diferentes sistemas de cultivo sobre la severidad de la mancha angular del frijol (*Phaseolus vulgaris* L.), causada por *Isariopsis griseola* Sacc. *Agronomía Costarricense* 1: 39-42.
572. Morin L. 2017. Information package to support application to release the white smut-like fungus *Kordyana brasiliensis* for the biological control of wandering trad (*Tradescantia fluminensis*) in Australia. CSIRO, Australia.
573. Mostert L, Bester W, Coertze S, Wood AR. 2008. First report of daylily rust caused by *Puccinia hemerocallidis* in the Western Cape Province of South Africa. *Plant Disease* 92: 1133.
574. Mueller GM, Halling RE, Carranza J, Mata M, Schmit JP. 2006. Saprotrophic and ectomycorrhizal macrofungi of Costa Rican oak forests. In *Ecology and Conservation of Neotropical Montane Oak Forests*. Ecological Studies 185.
575. Mueller GM. 1996. Distribution and species composition of *Laccaria* (Agaricales) in tropical and subtropical America. *Rev Biol Trop* 44: 131-135.
576. Mugambi GK, Huhndorf SM. 2010. Multigene Phylogeny of the Coronophorales: Morphology and New Species in the Order. *Mycologia* 102: 185-210.
577. Murillo C, Albertazzi FJ, Carranza J, Lumbsch HT, Tamayo G. 2009. Molecular data indicate that *Rhytidhysterium rufulum* (ascomycetes, Patellariales) in Costa Rica consists of four distinct lineages corroborated by morphological and chemical characters. *Mycological Research* 113: 405-416.
578. Murillo-Gamboa O, Salas-Rodríguez A, Murillo-Cruz R, Ávila-Arias C. 2016. Tasa de avance de la pudrición del tronco en melina *Gmelina arborea* Roxb. y posibilidades de manejo. *Revista Forestal Mesoamericana Kurú* 13: 40-50.
579. Murillo-Williams A, Esker P, Allen T, Stone C, Frederick R. 2015. First report of *Phakopsora pachyrhizi* on soybean in Costa Rica. *Plant Disease* 99: 418.
580. Murillo-Williams A, Munkvold GP. 2008. Systemic infection by *Fusarium verticillioides* in maize plants grown under three temperature regimes. *Plant Disease* 92: 1695-1700.
581. Murrill WA. 1915. Tropical polypores. New York.
582. Nakasone KK, Bergman CR, Burdsall HH Jr. 1994. *Phanerochaete filamentosa-Corticium radicans* Species Complex in North America. *Sydowia* 46: 44-62.
583. Nakasone KK. 1997. Studies in *Phlebia*. Six species with teeth. *Sydowia* 49: 49-79.
584. Nakasone KK. 2000: Reexamination of *Odontia sacchari*, *O. saccharicola*, and *Corticium granulare*. – *Karstenia* 40: 111-116.
585. Nakasone KK. 2013. Taxonomy of *Epithele* (Polyporales, Basidiomycota). *Sydowia* 65: 59-112.
586. Naumann TA, Wicklow DT. 2010. Allozyme-specific modification of a maize seed chitinase by a protein secreted by the fungal pathogen *Stenocarpella maydis*. *Phytopathology* 100: 645-654. <https://doi.org/10.1094/PHYTO-100-7-0645>

587. Navarro JR, Mora D, Días J, Vílchez H, Corrales E. 1991. Efecto de la solarización del suelo sobre la población de malezas y del hongo *Rhizoctonia solani* durante la estación lluviosa en Alajuela, Costa Rica. *Agronomía Costarricense* 15: 93-98.
588. Navarro JR, Umaña G. 1997. Combate de fitopatógenos en almácigo de cebolla (*Allium cepa* L.). *Agronomía Mesoamericana* 107-111.
589. Navarro-Benatti M. 2012. A review of the genus *Bulbothrix* Hale: the species with medullary norstictic or protocetraric acids. *MycKeys* 2: 1-28.
590. Nelsen M, Lücking R, Aptroot A, Cáceres M, Rivas Plata E, Gueidan C, Canêz L, Knight A, Ludwig L, Mercado-Diaz J, Parmen S, Lumbsch TH. 2014. Elucidating phylogenetic relationships and genus-level classification within the fungal family Trypetheliaceae (Ascomycota: Dothideomycetes). *Taxon* 63: 974-992.
591. Nelsen M, Lücking R, Chaves JL, Sipman HJM, Umaña L, Navarro E. 2006. A first assessment of the Ticolichen biodiversity inventory in Costa Rica: The genus *Haematomma* (Lecanorales: Lecanoraceae). *The Lichenologist* 38: 251-26.
592. Nelsen M, Lücking R, Umaña L, Trest M, Will-Wolf S, Chaves JL, Gargas A. 2007. *Multiclavula ichthyiformis* (Fungi: Basidiomycota: Cantharellales: Clavulinaceae), a remarkable new Basidiolichen from Costa Rica. *American Journal of Botany* 94: 1289-1296.
593. Neuwirth G, Pfaller K. 2006. *Porina pilifera* (Porinaceae), a new foliicolous lichen from Costa Rica (Central America). *The Lichenologist* 38: 417-420.
594. Neuwirth G, Stocker-Wörgötter E. 2014. Rare lichen taxa from Costa Rica. *Mycosphere* 5: 711-718.
595. Neves MA, Binder M, Halling RE, Hibbett D, Soyong K. 2012. The phylogeny of selected *Phylloporus* species, inferred from NUC-LSU and ITS sequences, and descriptions of new species from the Old World. *Fungal Diversity* 55: 109-123.
596. Neves MA, Halling RE. 2010. Study on species of *Phylloporus* I: Neotropics and North America. *Mycologia* 102: 923-943. doi: 10.3852/09-215.
597. Nirenberg HI, O'Donnell K. 1998. New *Fusarium* species and combinations within the *Gibberella fujikuroi* species complex. *Mycologia*, 90: 434-458.
598. Niskanen T, Liimatainen K, Ammirati JF, Hughes K. 2013. *Cortinarius* section *Sanguinei* in North America. *Mycologia* 105: 344-356. doi: 10.3852/12-086.
599. Norman DJ, Strandberg JO. 1997. Survival of *Colletotrichum acutatum* in soil and plant debris of leatherleaf fern. *Plant Disease* 81: 1177-1180.
600. Núñez M, Ryvarden L. 1994. A note on the genus *Beenakia*. *Sydowia* 46: 321-328
601. Núñez M. 1994. First records of *Henningsia brasiliensis* outside Brazil. *Mycologist* 8: 175-176.
602. O'Donnell K, Cigelnik E, Nirenberg HI. 1998. Molecular Systematics and Phylogeography of the *Gibberella fujikuroi* Species Complex. *Mycologia* 90: 465-493.
603. Oliveira JJS, Moncalvo J-M, Margaritescu S, Capelari M. 2020. A morphological and phylogenetic evaluation of *Marasmius* sect. *Globulares* (*Globulares-Sicci* complex) with nine new taxa from the Neotropical Atlantic Forest. *Persoonia* 44: 240-277. doi: 10.3767/persoonia.2020.44.09.
604. Ordynets A, Scherf D, Pansegrau F, Denecke J, Lysenko L, Larsson KH, Langer E. 2018. Short-spored *Subulicystidium* (Trechisporales, Basidiomycota): high morphological diversity and only partly clear species boundaries. *MycKeys* 35: 41-99.
605. Orton CR. 1944. Graminicolous Species of *Phyllachora* in North America. *Mycologia* 36: 18-53.
606. Osmundson TW, Halling RE, den Bakker HC. 2007. Morphological and molecular evidence supporting an arbutoid mycorrhizal relationship in the Costa Rican paramo. *Mycorrhiza* 17: 217-222. doi: 10.1007/s00572-006-0098-x.
607. Osmundson TW, Halling RE. 2010. *Tylopilus oradivensis* sp. nov.: a newly described member of the *Tylopilus balloui* complex from Costa Rica. *Mycotaxon* 113: 475-483. doi: 10.5248/113.475.
608. Ovrebo CL, Baroni TJ. 1988. Three new species of *Rhodocybe* from Costa Rica. *Mycologia* 80: 508-514.
609. Ovrebo CL, Baroni TJ. 2007. New taxa of Tricholomataceae and Entolomataceae (Agaricales) from Central America. *Fungal Diversity* 27: 157-170.

610. Ovrebo CL, Halling RE, Hughes KW, Kuo M. 2021. New species and records of *Tricholoma* (Agaricales: Tricholomataceae) sections *Genuina* and *Megatracholoma* from Costa Rica and United States. *Journal of the Botanical Research Institute of Texas* 15: 545-557. doi: 10.17348/jbrit.v15.i2.1160.
611. Ovrebo CL, Hughes KW, Halling RE. 2019. Three new species of *Tricholoma* from Costa Rica. *Phytotaxa* 392: 33-44. doi: 10.11646/phytotaxa.392.1.3.
612. Ovrebo CL. 1996. The agaric flora (Agaricales) of La Selva Biological Station, Costa Rica. *Rev Biol Trop* 44: 39-57.
613. Paden JW. 1977. Two new species of *Phillipsia* from Central America. *Can. J. Bot.* 55: 2685-2692.
614. Paden JW. 1978. Morphology, growth in culture, and conidium formation in *Poronia pileiformis*. *Can. J. Bot.* 56: 1774-1776.
615. Padilla CA. 1980. Interacción entre *Meloidogyne* spp. y *Fusarium oxysporum* f. sp. pisi en arveja. *Agronomía Costarricense* 4: 55-60.
616. Páez O, Gómez L, Brenes A, Valverde R. 2001. Resistencia de aislamientos de *Phytophthora infestans* al metalaxyl en el cultivo de la papa en Costa Rica. *Agronomía Costarricense* 25: 33-44.
617. Páez O, Valverde R, Gómez L, Brenes A. 2004. Determinación del tipo de apareamiento con marcadores moleculares en aislamientos de *Phytophthora infestans* recolectados en plantaciones de papa en Costa Rica. *Agronomía Costarricense* 28: 9-16.
618. Páez O, Valverde R, Gómez L, Brenes A. 2005. Diversidad genética de aislamientos de *Phytophthora infestans* en plantaciones de papa en Costa Rica con el uso de RAPDs. *Agronomía Costarricense* 29: 41-55.
619. Parmasto E, Saar I, Larsson E, Rummo S. 2014. Phylogenetic taxonomy of *Hymenochaete* and related genera (Hymenochaetales). *Mycol Progress* 13: 55-64.
620. Pegler DN, Gomez LD. 1994. An unusual member of the cage family. *Mycologist* 8: 56-59.
621. Pegler DN, Lodge DJ, Nakasone KK. 1998. The pantropical genus *Macrocybe* gen. nov. *Mycologia* 90: 494-504. doi: 10.1080/00275514.1998.12026934.
622. Peres NA, MacKenzie SJ, Peever TL, Timmer LW. 2008. Postbloom fruit drop of citrus and key lime anthracnose are caused by distinct phylogenetic lineages of *Colletotrichum acutatum*. *Phytopathology* 98: 345-352. <https://doi.org/10.1094/PHYTO-98-3-0345>
623. Pérez-León G, Chavarría-Pérez L, Araya-Quesada J, Gómez-Alpizar L. 2013. Identificación del agente causal de la antracnosis de *Sansevieria* spp. en Costa Rica. *Agronomía Costarricense* 37: 39-50.
624. Perrone G, Stea G, Epifani F, Varga J, Frisvad JC, Samson RA. 2011. *Aspergillus niger* contains the cryptic phylogenetic species *A. awamori*. *Fungal Biology* 115: 1138-1150.
625. Petersen RH, Desjardin DE, Kruger D. 2008. Three type specimens designated in *Oudemansiella*. *Fungal Diversity* 32: 81-96.
626. Petersen RH, Hughes KW. 2016. *Micromphale* sect. *Perforantia* (Agaricales, Basidiomycetes); Expansion and phylogenetic placement. *MycKeys* 18: 1-22. doi: 10.3897/mycokeys.18.10007.
627. Petersen RH, Hughes KW. 2024. *Metacampanella* gen. nov.: The *Campanella dendrophora* complex. *Mycology* DOI: 10.1080/21501203.2024.2309898.
628. Petersen RH. 2000. New Species of *Lentaria* (Fungi: Aphyllophorales): redescription and mating systems of *L. surculus* and *L. byssiseda*. *Rev. biol. trop* 48: 555-567. DOI: 10.15517/rbt.v48i2-3.18824.
629. Petrak F. 1971. *Poeltia* Petr. n.gen., ein Beitrag zur Revision der Gattung *Paranectria* Sacc. *Sydowia* 25: 176 - 179.
630. Petrak, F. (1940). Mykologische Notizen. XIII. Nos 851-930. *Annales Mycologici* 38 (2-4): 181-267.
631. Petrini LE. 2004. A revision of the genus *Stilbohypoxydon* (Xylariaceae). *Sydowia* 56: 51-71.
632. Pfister DH, Gómez LD. 1978. On a collection of *Wynnea* Americana from Costa Rica with some comments on the distribution and delimitation of *Wynnea* species in the neotropics. *Brenesia* 14-15:395-400.
633. Pfister DH, Quijada L, LoBuglio KF. 2020. *Geodina* (Pezizomycetes: Wynneaceae) has a single widespread species in tropical America. *Fungal Systematics and Evolution* 5: 131-138.
634. Pfister DH. 1973. The Psilopezoid Fungi. III. The Genus *Psilopezia* (Pezizales). *American Journal of Botany* 60: 355-365.

635. Pfister DH. 1973. The psilopezoid fungi. IV. The genus *Pachyella* (Pezizales). Can. J. Bot. 51: 2009-2023.
636. Pfister DH. 1979. A monograph of the genus *Wynnea* (Pezizales, Sarcocyphaceae). Mycologia 71: 144-159.
637. Piepenbring M. 1994. Brandpilze (Ustilaginales und Tilletiales) von Costa Rica; Ökologie, Morphologie, Ultrastruktur und Systematik. Doctoral thesis, Eberhard Karls-Universität, Tübingen, Germany. 364 p.
638. Piepenbring M. 1995a. Taxonomic studies on Ustilaginales from Costa Rica. Mycol. Res. 99:783-788.
639. Piepenbring M. 1995b. *Trichocintractia*, a new genus for *Cintractia utriculicola* (Ustilaginales). Can. J. Bot. 73: 1089-1096.
640. Piepenbring M. 1996. Smut fungi (Ustilaginales and Tilletiales) in Costa Rica. Nova Hedwigia Beih. 113: 1- 155.
641. Piepenbring M. 1996b. Two new *Entyloma* species (Ustilaginales) in Central America. - Sydowia 48(2): 241-249.
642. Piepenbring M, Ruíz-Boyer A. 2008. Diversity and ecology of fungi in the Golfo Dulce region. Stapfia 88: 179-172.
643. Ploetz RC. 2006. *Fusarium*-induced diseases of tropical, perennial crops. Phytopathology 96: 648-652.
644. Polo-Marcial MH, Solís-Ramos LY, Murillo-Cruz R, Ávila-Arias C, Andrade-Torres A. 2023. Mycorrhizal and endophytic richness and colonization in *Cedrela odorata* L., in agroforestry systems and secondary forest from southeastern Costa Rica. Agroforestry Systems 97(3-4): 3. DOI: 10.1007/s10457-023-00816-4.
645. Porter TM, Martin W, et al. 2011. Molecular phylogeny of the Blastocladiomycota (Fungi) based on nuclear ribosomal DNA. Fungal Biology 115: 381-392.
646. Pretorius MC, Crous PW, Groenewald JZ, Braun U. 2003. Phylogeny of some cercosporoid fungi from *Citrus*. Sydowia 55 (2): 286-305.
647. Quijada L, Ribes M, Negrín R, Beltrán-Tejera E. 2017. Lignicolous species of Helotiales associated with major vegetation types in the Canary Islands. Willdenowia 47: 271-291.
648. Raimondo ML, Lops F, Carlucci A. 2016. Charcoal canker of pear, plum, and quince trees caused by *Biscogniauxia rosacearum* sp. nov. in southern Italy. Plant Disease 100: 1813-1822. <https://doi.org/10.1094/PDIS-09-15-1037-RE>
649. Raja HA, Campbell J, Shearer CA. 2003. Freshwater ascomycetes: *Cyanoannulus petersenii*, a new genus and species from submerged wood. Mycotaxon 88: 1-17.
650. Raja HA, Ferrer A, Shearer CA, Miller AN. 2010. Freshwater ascomycetes: *Wicklowia aquatica*, a new genus and species in the Pleosporales from Florida and Costa Rica. Mycoscience 51:208-214.
651. Raja HA, Ferrer A, Shearer CA. 2003. *Aliquandostipite crystallinus*, a new ascomycete species from wood submerged in freshwater habitats. Mycotaxon 91: 207-215.
652. Raja HA, Shearer CA. 2006. *Jahnula* species from North and Central America, including three new species. Mycologia 98: 319-332. DOI:10.1080/15572536.2006.11832704
653. Rambelli A, Ciccarone C. 2008. New and interesting Dematiaceous Hyphomycetes from Costa Rica forest litters. Quad. Bot. Ambientale Appl. 19: 125-152.
654. Ramírez L, Durán A, Mora D. 1998. Combate integrado de la pudrición radical de la papaya (*Phytophthora* sp.) a nivel de vivero. Agronomía Mesoamericana 72-80.
655. Ramírez-Cruz V, Guzmán G, Guzmán-Dávalos L. 2013. Type studies of *Psilocybe* sensu lato (Strophariaceae, Agaricales). Sydowia 65: 277-319.
656. Raper KB, Fennell DI. 1965. The Genus *Aspergillus*: 1-686.
657. Réblová M, Nekvindová J, Fournier J, Miller AN. 2020. Delimitation, new species and teleomorph-anamorph relationships in *Codinaea*, *Dendrophoma*, *Paragaemannomyces* and *Striatosphaeria* (Chaetosphaeriaceae). MycoKeys 74: 17-74.
658. Réblová M, Nekvindová J, Miller AN. 2021. Phylogeny and taxonomy of *Catenularia* and similar fungi with catenate conidia. MycoKeys 81: 1-44.
659. Reblova M. 1999. Studies in *Chaetosphaeria* sensu lato IV. *Crassochaeta* gen. nov., a new lignicolous genus of the Trichosphaeriaceae. Mycotaxon 71: 45-67.

660. Reblova M. 1999. Studies in *Chaetosphaeria* sensu lato. IV. *Crassochaeta* gen. nov., a new lignicolous genus of the Trichosphaeriaceae. Mycotaxon 71: 45-67.
661. Reddy PV, Bergen MS, Patel R, White Jr JF. 1998. An examination of molecular phylogeny and morphology of the grass endophyte *Balansia claviceps* and similar species. Mycologia 90:108-117. DOI: 10.1080/00275514.1998.12026886
662. Redhead SA, Ginns J. 1980. *Cyptotrama asprata* (Agaricales) from North America and notes on the five other species of *Cyptotrama* sect. *Xerulina*. Canadian Journal of Botany 58(6): 731-740.
663. Redhead SA, Latterell FM. 1988. *Marasmiellus paspali* var. *americanus*, the causal agent of "Borde Blanco" disease of maize in Latin America. Mycologia 80: 286-290.
664. Reid DA. 1976. Notes on polypores. 2. Memoirs of the New York Botanical Garden 28: 179-198.
665. Reschke K, Lotz-Winter H, Fischer CW, Hofmann T, Piepenbring M. 2021. New and interesting species of Agaricomycetes from Panama. Phytotaxa 529: 1-26. doi: 10.11646/phytotaxa.529.1.1.
666. Riddle LW. 1923. The lichens of the Isle of Pines. Mycologia 15(2): 68-88.
667. Riolo M, Aloï F, Faedda R, Cacciola SO, Pane A. 2020. First report of postharvest fruit rot caused by *Fusarium sacchari* on lady finger banana in Italy. Plant Disease 104: 2290. <https://doi.org/10.1094/PDIS-01-20-0143-PDN>
668. Risède JM, Simoneau P. 2004. Pathogenic and genetic diversity of soilborne isolates of *Cylindrocladium* from banana cropping systems. European Journal of Plant Pathology 110: 139-154.
669. Rivas Plata E, Lücking R, Aptroot A, Sipman HJM, Chaves JL, Umaña L, Lizano D. 2006. A first assessment of the Ticolichen biodiversity inventory in Costa Rica: The genus *Coenogonium* (Ostropales: Coenogoniaceae), with a world-wide key and checklist and a phenotype-based cladistic analysis. Fungal Diversity 23: 255-321.
670. Rivas Plata E, Lücking R, Lumbsch HT, Chaves JL. 2008. *Gyrotrema wirthii*, a new species of *Gyrotrema* (Ascomycota: Ostropales: Graphidaceae) from Costa Rica. Sauteria 15: 417-420.
671. Rivera KG, Diaz J, Chavarría Díaz F, García M, Urb M, Thorn G, Louis-Seize G, Janzen DH, Seifert KA. 2012. *Penicillium mallochii* and *P. guanacastense*, two new species isolated from Costa Rican caterpillars. Mycotaxon 119: 315-328.
672. Rivera-Coto G, Corrales-Moreira G. 2007. Problemas fitosanitarios que amenazan la conservación de las orquídeas en Costa Rica. Lankesteriana 7: 347-352.
673. Rivera-Méndez W, Brenes-Madriz J, Alvarado-Marchena L. 2021. Effect of *Setophoma terrestris*, *Sclerotium cepivorum*, and *Trichoderma* spp. on in vitro onion (*Allium cepa*) root tissues and the final yield at the field. European Journal of Plant Pathology 160: 53-65.
674. Robledo GL, Amalfi M, Castillo G, Rajchenberg M, Decock C. 2009. *Perenniporiella chaquenía* sp. nov. and further notes on *Perenniporiella* and its relationships with *Perenniporia* (Poriales, Basidiomycota). Mycologia 101: 657-673.
675. Rodríguez JD, Piepenbring M. 2007. Two new species of *Appendiculella* (Meliolaceae) from Panama. Mycologia 99: 544-552. DOI:10.1080/15572536.2007.11832548
676. Rodríguez Justavino D, Kirschner R, Piepenbring M. 2015. New species and new records of Meliolaceae from Panama. Fungal Diversity 70:73-84.
677. Rodríguez RA, Jiménez LJ. 1987. Infección de frutos jóvenes de tres variedades de cocotero por *Phytophthora parasitica* Dastur. Agronomía Costarricense 11: 117-121.
678. Rodríguez-Matamoros RA. 1983. Patogenicidad de *Corticium salmonicolor* en cítricos y en el café. Agronomía Costarricense 7: 35-41.
679. Rogers JD, Barr ME. 2003. *Astrosphaeriella longispora*, a new tropical species with large ascospores. Sydowia 55: 355-358.
680. Rogers JD, Hidalgo A, Fernández FA, Huhndorf SM. 2004. *Ophiorosellinia costaricensis* gen. et sp. nov., a xylariaceous fungus with scolecosporous ascospores. Mycologia 96: 172-174.
681. Rogers JD, Ju YM. 2003. *Occultitheca costaricensis* gen. et sp. nov. and *Apiocamarops pulvinata* sp. nov. from Costa Rica. Sydowia 55: 359-364.
682. Rogers JD, Ju YM. 2003. *Occultitheca costaricensis* gen. et sp. nov. and *Apiocamarops pulvinata* sp. nov. from Costa Rica. Sydowia 55: 359-364.

683. Rogers JD, Ju YM. 2004. *Kretzschmaria varians* sp. nov., *Xylaria coremiifera* sp. nov. and *Xylaria umbonata* sp. nov. from Costa Rica. *Mycological Progress* 3: 37–40.
684. Rogers JD, Laessøe T, Lodge DJ. 1991. *Camillea*: New Combinations and a New Species, *Mycologia*, 83:2, 224-227, DOI:10.1080/00275514.1991.12026000
685. Rogers JD, San Martin F, Yu YM. 2002. Three new taxa of *Camillea* from Costa Rica. *Sydowia* 54: 84-90.
686. Rogers JD. 1981. *Sarcoxyloa* and *Entonaema* (Xylariaceae). *Mycologia* 73: 28-61.
687. Romero RA, Sutton TB. 1997. Reaction of four *Musa* genotypes at three temperatures to isolates of *Mycosphaerella fijiensis* from different geographical regions. *Plant Disease* 81: 1139-1142.
688. Romero RA, Sutton TB. 1998. Characterization of benomyl resistance in *Mycosphaerella fijiensis*, cause of black Sigatoka of banana, in Costa Rica. *Plant Disease* 82: 931-934. <https://doi.org/10.1094/PDIS.1998.82.8.931>
- a. Romero RA. 1997. Avances en epidemiología y manejo de la Sigatoka negra del banano. *Agronomía Costarricense* 21: 77-81.
689. Rosa CA, Lachance MA, Silva JOC, Teixeira ACP, Marini MM, Antonini Y, Martins RP. 2003. Yeast communities associated with stingless bees. *FEMS Yeast Research* 4: 271-275.
690. Rossi W, Bergonzo E. 2008. New and Interesting Laboulbeniales from Brazil. *Aliso: A Journal of Systematic and Evolutionary Botany* 26: 1-8.
691. Rossman AY. 1977. The Genus *Ophionectria* (Euascomycetes, Hypocreales). *Mycologia* 69: 355-391. DOI: 10.1080/00275514.1977.12020067
692. Rossman AY. 1979. A preliminary account of the taxa described in *Calonectria*. *Mycotaxon* 8: 485-558.
693. Rossman AY. 1983. The phragmosporous species of *Nectria* and related genera. *Mycological Papers* 150: 1-164.
694. Rossman AY. 1987. The Tubeufiaceae and similar loculoascomycetes. *Mycological Papers* 157: 1-71.
695. Rowlee S. 1924. A collection of Costa Rican fungi. *Mycologia* 16: 115-121. doi: 10.1080/00275514.1924.12020433.
696. RoyChowdhury M, Jia Y, Jia MH, Fjellstrom R, Cartwright RD. 2012. Identification of the rice blast resistance gene Pib in the national small grains collection. *Phytopathology* 102: 700-706. <https://doi.org/10.1094/PHYTO-02-12-0026-R>
697. Ruiz-Boyer A, Carranza J. 1996. Dos nuevos registros de Aphylllophorales (Basidiomycotina) para Costa Rica. *Rev Biol Trop* 44(Suppl. 4): 151.
698. Ruiz-Boyer A, Rodríguez-González A. 2019. Lista preliminar de hongos (Ascomycota y Basidiomycota) y mixomicetos (Myxomycota) de la Isla del Coco, Puntarenas, Costa Rica. *Rev Biol Trop* 68: 33-36.
699. Ruiz-Boyer A, Ryvarden L. 1998. First record of *Coltricia fonsecoensis* (Hymenochaetales, Hymenochaetaceae) in Costa Rica. *Brenesia* 49-50: 89.
700. Ruiz-Boyer A. 1996. *Amauroderma pseudoboletum* (Aphylllophorales: Ganodermataceae), nuevo registro para Costa Rica. *Rev Biol Trop* 44(Suppl. 4): 149.
701. Ruiz-Boyer A. 1998. La familia Ganodermataceae (Aphylllophorales) en Costa Rica. *Brenesia* 49-50: 21-37.
702. Ruiz-Boyer A. 1999. *Inonotus splitgerberi* (Hymenochaetaceae): un nuevo registro para Costa Rica. *Brenesia* 52: 73-74.
703. Ruiz-Boyer A. 2006. Los hongos poliporoides (Basidiomycetes) del Área de Conservación Pacífico Central (ACOPAC), Costa Rica. *Brenesia* 65: 19-41.
704. Ruiz-Boyer A. 2015. Macrohongos. En *Guía de biodiversidad del Caribe Sur de Costa Rica*. Museo Nacional de Costa Rica 199-243. <https://www.museocostarica.go.cr/wp-content/uploads/2021/07/2-macrohongos-caribe-sur.pdf>.
705. Ruiz-Boyer A. 2021. Catálogo actualizado de los ejemplares tipo de hongos depositados en el Herbario Nacional de Costa Rica (CR). *Scientia Fungorum* 52: e1406.
706. Ryvarden L, de Meijer AR. 2002. Studies in neotropical polypores 14 New species from the state of Paraná, Brazil. *Synopsis Fung.* 15: 34-69

707. Ryvarden L, Iturriaga T. 2004. 9: Studies in neotropical polypores 21 New and interesting species from Venezuela. *Synopsis Fungorum* 18: 68-75.
708. Ryvarden L. 2001. The genus *Auriscalpium*. *Harvard Papers in Botany* 6: 193-198.
709. Ryvarden L. 2002. A note on the genus *Hydnodon* Banker. *Synopsis Fung.* 15:31-33
710. Ryvarden L. 2002. Studies in neotropical polypores 17 New neotropical Inonotus species. *Synopsis Fung.* 15: 70-80
711. Ryvarden L. 2002. Studies in neotropical polypores 17. New neotropical Inonotus species. *Synopsis Fungorum*, Oslo.
712. Ryvarden L. 2004. 10: *Porostereum vibrans* (Berk.) Ryvarden. *Synopsis Fungorum* 18: 76-79.
713. Ryvarden L. 2004. Neotropical polypores. Part I. *Synopsis Fungorum* 19. Fungiflora, Oslo.
714. Ryvarden L. 2005. The genus *Inonotus* a synopsis. *Synopsis Fungorum* 21. Fungiflora, Oslo.
715. Ryvarden L. 2012. Studies in Neotropical polypores 32. Some new species from Costa Rica. *Synopsis Fungorum*, Oslo.
716. Ryvarden L. 2014. Studies in Neotropical polypores 37. Some new and interesting species from tropical America. *Synopsis Fungorum*, Oslo.
717. Ryvarden L. 2015. Studies in Neotropical polypores 40 A note on the genus *Grammothele*. *Synopsis Fungorum* 33: 36-42.
718. Saar I. 2016. Type studies of some *Cystodermella* (Agaricales, Basidiomycota) species. *Nova Hedwigia* 102: 491-500. doi: 10.1127/nova\_hedwigia/2015/0321.
719. Sáenz JA, Lizano Macaya AV. 1981. *Phyllachora stahlii* (Chardon) Stevenson, parásito de *Ficus goldmanii*: nuevo registro para Costa Rica. *Revista de Biología Tropical* 29: 295-298.
720. Sáenz JA, Macaya-Lizano AV, Nassar CM. 1983. Hongos comestibles, venenosos y alucinatorios de Costa Rica. *Rev Biol Trop* 31: 201-207.
721. Sáenz JA, Nassar CM. 1982. Hongos de Costa Rica: Familias Phallaceae y Clathraceae. *Rev Biol Trop* 30: 41-52.
722. Sáenz JA, Nassar M, Morales MI. 1972. Contribution to the study of *Xylophallus xylogenus*. *Mycologia* 64: 510-520. doi: 10.1080/00275514.1972.12019296.
723. Sáenz JA, Nassar M, Morales MI. 1974. Clave para Falales (Phallales) de Costa Rica. *Rev Biol Trop* 21: 425-427.
724. Sáenz JA. 1976. Ecology, anatomy and redescription of *Laternea pusilla*. *Rev Biol Trop* 24: 109-121.
725. Sáenz JA. 1980. *Ligiella*, a new genus for the Clathraceae. *Mycologia* 72: 338-349. doi: 10.1080/00275514.1980.12021187.
726. Saénz MV, Castro-Barquer L, Gonzalez-Calvo J. 1991. Efecto del empaque y la temperatura de almacenamiento sobre la vida poscosecha y la calidad de los frutos de maracuyá. *Agronomía Costarricense* 15: 79-83.
727. Salas E, Blanco F. 2000. Selección de plantas hospederas y efecto del fósforo para la producción de inoculo de hongos formadores de micorrizas arbusculares por el método de cultivo en macetas. *Agronomía Costarricense* 24(1): 19-28.
728. Salas L, Vargas E. 1984. El nematodo foliar *Aphelenchoides besseyi* Christie (Nematoda: Aphelenchoididae) como causante de la falsa mancha angular del frijol en Costa Rica. *Agronomía Costarricense* 8: 65-68.
729. Salazar E, Hernández R, Tapia A, Gómez-Alpizar L. 2012. Identificación molecular del hongo *Colletotrichum* spp., aislado de banano (*Musa* spp) de altura en la zona de Turrialba y determinación de su sensibilidad a fungicidas poscosecha. *Agronomía Costarricense* 36: 53-68. <https://doi.org/10.15517/rac.v36i1.9964>
730. Salazar F, Vargas E. 1977. Métodos de evaluación y niveles de resistencia en maíz a la pudrición de la mazorca causada por *Fusarium moniliforme*. *Agronomía Costarricense* 1: 93-99.
731. Salazar-Casasa W, Rivera-Coto G, Corrales-Moreira G. 2007. Comparación de los problemas fitosanitarios en orquídeas de poblaciones silvestres y de cultivo, como evaluación de riesgos de plagas o epidemias. *Lankesteriana* 7: 362-367.
732. Salgado-Salazar C, LeBlanc N, Ismaiel A, Rivera Y, Warfield CY, Crouch JA. 2018. Genetic variation of the pathogen causing impatiens downy mildew predating and including twenty-first century epidemics on *Impatiens walleriana*. *Plant Disease* 102: 2411-2420. <https://doi.org/10.1094/PDIS-01-18-0077-RE>

733. Salgado-Salazar C, Rossman A, Chaverri P. 2016. The genus *Thelonectria* (Nectriaceae, Hypocreales, Ascomycota) and closely related species with cylindrocarpon-like asexual states. *Fungal Diversity* 80:411–455.
734. Salgado-Salazar C, Rossman A, Samuels GJ, Capdet M, Chaverri P. 2012. Multigene phylogenetic analyses of the *Thelonectria coronata* and *T. veuillotiana* species complexes. *Mycologia* 104: 1325–1350. DOI: 10.3852/12-055
735. Salgado-Salazar C, Rossman A, Samuels GJ, Hirooka Y, Sanchez RM, Chaverri P. 2015. Phylogeny and taxonomic revision of *Thelonectria discophora* (Ascomycota, Hypocreales, Nectriaceae) species complex. *Fungal Diversity* 70:1–29.
736. Samson RA, Houbraken JAMP, Kuijpers AFA, Frank JM, Frisvad JC. 2004. New ochratoxin A or sclerotium producing species in *Aspergillus* section Nigri. *Studies in Mycology*. 50:45-62
737. Samuels GJ, Brayford D. 1994. Species of *Nectria* (sensu lato) with red perithecia and striate ascospores. *Sydowia* 46: 75-161.
738. Samuels GJ, Ismaiel A, de Souza J, Chaverri P. 2012b. *Trichoderma stromaticum* and its overseas relatives. *Mycol Progress* 11:215–254. DOI 10.1007/s11557-011-0743-4
739. Samuels GJ, Ismaiel A, Mulaw TB, Szakacs G, Druzhinina IS, Kubicek CP, Jaklitsch WM. 2012. The Longibrachiatum Clade of *Trichoderma*: a revision with new species. *Fungal Diversity* 55:77–108. DOI 10.1007/s13225-012-0152-2
740. Samuels GJ, Rogerson CT. 1990. Some ascomycetes (fungi) occurring on tropical ferns. *Brittonia* 42:105-115.
741. Samuels GJ, Rossman AY. 1992. *Thuemenella* and *Sarawakus*. *Mycologia* 84: 26-40. DOI: 10.1080/00275514.1992.12026101
742. Samuels GJ, Seifert KA. 1991. Two new species of *Nectria* with *Stilbella* and *Mariannaea* anamorphs. *Sydowia* 43: 249-263.
743. Samuels GJ. 1989. *Nectria* and *Penicillifer*. *Mycologia* 81:347-355. DOI: 10.1080/00275514.1989.12025758
744. Santos ARO, Leon MP, Barros KO, Freitas LFD, Hughes AFS, Morais PB, Lachance AD, Rosa CA. 2018. *Starmerella camargoi* f.a., sp. nov., *Starmerella ilheusensis* f.a., sp. nov., *Starmerella litoralis* f.a., sp. nov., *Starmerella opuntiae* f.a., sp. nov., *Starmerella roubikii* f.a., sp. nov. and *Starmerella vitae* f.a., sp. nov., isolated from flowers and bees, and transfer of related *Candida* species to the genus *Starmerella* as new combinations. *Int J Syst Evol Microbiol* 68: 1333–1343. DOI 10.1099/ijsem.0.002675.
745. Santos-Flores CJ, Betancourt-López C. 1997. Aquatic and water-borne Hyphomycetes (Deuteromycotina) in streams of Puerto Rico (including records from other neotropical locations). *Caribbean Journal of Science Special Publication* 2: 1-116.
746. Saville A, Charles M, Chavan S, Munoz M, Gómez-Alpizar L, Ristaino JB. 2017. Population structure of *Pseudocercospora fijiensis* in Costa Rica reveals shared haplotype diversity with Southeast Asian populations. *Phytopathology* 107: 1541-1548.
747. Schiller M, Lübeck M, Sundelin T, Melendez LFC, Danielsen S, Jensen DF, Ordenana KM. 2006. Two subpopulations of *Colletotrichum acutatum* are responsible for anthracnose in strawberry and leatherleaf fern in Costa Rica. *European Journal of Plant Pathology* 116: 107-118.
748. Schiller M, Lübeck M, Sundelin T, Meléndez LFC, Danielsen S, Jensen DF, Ordeñana KM. 2006. Two subpopulations of *Colletotrichum acutatum* are responsible for anthracnose in strawberry and leatherleaf fern in Costa Rica. *European Journal of Plant Pathology* 116: 107–118.
749. Schroers HJ, Geldenhuis MM, Wingfield MJ, Schoeman MH, Yen YF, Shen WC, Wingfield BD. 2005. Classification of the guava wilt fungus *Myxosporium psidii*, the palm pathogen *Gliocladium vermoesonii* and the persimmon wilt fungus *Acremonium diospyri* in Nalanthamala. *Mycologia* 97: 375-395. DOI: 10.1080/15572536.2006.11832814
750. Schubert R, Lücking R, Lumbsch HT. 2003. New species of foliicolous lichens from 'La Amistad' Biosphere Reserve, Costa Rica. *Willdenowia* 33: 459-465.
751. Schumacher T. 1990. The genus *Scutellinia* (Pyronemataceae). *Opera Botanica* 101: 1-107.
752. Seaver FJ. 1929. Studies in Tropical Ascomycetes—VI. *Phyllachora Simabae Cedronis*. *Mycologia* 21: 178-179. DOI: 10.1080/00275514.1929.12016951
753. Segura CB. 1969. Ojo de gallo (*Mycena citricolor*) en Kadam (Anthocephalus cadamba). *Turrialba* 19(4): 553-554.
754. Segura-Mena RA, Stoorvogel JJ, García-Bastidas F, Salacinas-Niez M, Kema GHJ, Sandoval JA. 2021. Evaluating the potential of soil management to reduce the effect of *Fusarium oxysporum* f. sp. *cubense* in banana (Musa AAA). *European Journal of Plant Pathology* 160: 441-455.
755. Seifert KA. 1985. A monograph of *Stilbella* and some allied hyphomycetes. *Stud. Mycol.* 27: 1-235.



756. Senanayake IC, Jeewon R, Chomnunti P, Wanasinghe DN, Norphanphoun C, Karunarathna A, Pem D, Perera RH, Camporesi E, McKenzie EHC, Hyde KD, Karunarathna SC. 2018. Taxonomic circumscription of Diaporthales based on multigene phylogeny and morphology. *Fungal Diversity* 93: 241–443. <https://doi.org/10.1007/s13225-018-0410-z>
757. Seng J, Herrera G, Vaughan CS, McCoy MB. 2014. Use of *Trichoderma* fungi in spray solutions to reduce *Moniliophthora roreri* infection of *Theobroma cacao* fruits in Northeastern Costa Rica. *Revista de Biología Tropical* 62: 900-907.
758. Sérusiaux E, Lücking R. 2003. The lichen genus *Caprettia* Bat., H. Maia (Monoblastiaceae). *Bibliotheca Lichenologica* 86: 161-176.
759. Sherwood MA. 1980. Taxonomic studies in the Phacidiales: the genus *Coccomyces* (Rhytismataceae). *Occasional Papers of the Farlow Herbarium of Cryptogamic Botany* 15: 1-120.
760. Shrestha B, Kubátová A, Tanaka E, Oh J, Yoon DH, Sung JM, Sung GH. 2019. Spider-pathogenic fungi within Hypocreales (Ascomycota): their current nomenclature, diversity, and distribution. *Mycological Progress* 18:983–1003. <https://doi.org/10.1007/s11557-019-01512-3>
761. Sierra-Patev S, Min B, Naranjo-Ortiz M, Looney B, Konkel Z, Slot JC, Sakamoto Y, Steenwyk JL, Rokas A, Carro J, Camarero S, Ferreira P, Molpeceres G, Ruiz-Dueña FJ, Serrano A, Henrissat B, Drulak E, Hughes KW, Mata JL, Ishikawa NK, Vargas-Isla R, Ushijima S, Smith CA, Donoghue J, Ahrendt S, Andreopoulos W, He G, LaButti K, Lipzen A, Ng V, Riley R, Sandor L, Barry K, Martínez AT, Xiao Y, Gibbons JG, Terashima K, Grigoriev IV, Hibbett D. 2023. A global phylogenomic analysis of the shiitake genus *Lentinula*. *PNAS* 120: 2214076120. <https://doi.org/10.1073/pnas.2214076120>.
762. Sieverding E, Chaverri A, Rojas I. 1988. *Acaulospora splendida*, a new species in the Endogonaceae from Costa Rica. *Mycotaxon* 33: 251-256.
763. Silva ADA, Pinho DB, Costa H, Lopes UP, Pereira OL. 2014. First report of leaf spot caused by *Myrothecium roridum* on *Coffea canephora* in Brazil. *Plant Disease* 98: 1587. <https://doi.org/10.1094/PDIS-06-14-0643-PDN>
764. Singer R, Gómez LD. 1982. Basidiomycetes of Costa Rica I. *Brenesia* 19: 31-47.
765. Singer R, Gómez LD. 1984. The basidiomycetes of Costa Rica III. The genus *Phylloporus* (Boletaceae). *Brenesia* 22: 163-181.
766. Singer R. 1987. *Mycena theobromicola*, a fungus associated with cacao pod rot. *Mycologia* 79: 463-464. doi: 10.1080/00275514.1987.12025406.
767. Singer R. 1989. New taxa and new combinations of Agaricales (Diagnoses Fungorum Novorum Agaricalium IV). *Fieldiana Bot New Ser* 21: 1-133.
768. Singh G, Aptroot A, Rico V, Otte J, Divakar P, Crespo A, Cáceres M, Lumbsch T, Schmitt I. 2018. *Neoprotoparmelia* gen. nov. and *Maronina* (Lecanorales, Protoparmelioideae): Species description and generic delimitation using DNA barcodes and phenotypical characters. *MycKeys* 44: 19-50.
769. Sipman HJM, Lücking R, Aptroot A, Kalb K, Chaves JL, Umaña L. 2012. A first assessment of the Ticolichen biodiversity inventory in Costa Rica and adjacent areas: the thelotremoid Graphidaceae (Ascomycota: Ostropales). *Phytotaxa* 55: 1-214.
770. Sipman HJM. 1990. *Lichenotheca Latinoamericana a museo botanico berlinensi edita, fasciculum primum* [Lichenotheca Latinoamericana edited by the Botanical Museum Berlin-Dahlem, first fascicle]. *Willdenowia* 19: 543-551.
771. Sipman HJM. 1993. *Lichenotheca Latinoamericana a museo botanico berlinensi edita, fasciculum primum* [Lichenotheca Latinoamericana edited by the Botanical Museum Berlin-Dahlem, first fascicle]. *Willdenowia* 19: 305-314.
772. Sipman HJM. 2005. Líquenes de los Páramos de Costa Rica. En Kappelle M, Horn SP (eds.). *Páramos de Costa Rica*. Santo Domingo de Heredia, Costa Rica: Instituto Nacional de Biodiversidad, INBio. 342-360.
773. Sivanesan A, Gomez LD. 1985. The teleomorph of *Sphaceloma erythrinae*. *Transactions of the British Mycological Society* 85(2): 370-374.
774. Smith ME, Amses KR, Elliott TF et al. 2015. New sequestrate fungi from Guyana: *Jimtrappea guyanensis* gen. sp. nov., *Castellanea pakaraimophila* gen. sp. nov., and *Costatisporus cyanescens* gen. sp. nov. (Boletaceae, Boletales). *IMA Fungus* 6: 297-317. doi: 10.5598/imafungus.2015.06.02.03.
775. Solano V, Arauz LF. 1995. Combate de antracnosis en frutos de papaya mediante aplicaciones de fungicidas en el campo en la zona Atlántica de Costa Rica. *Agronomía Costarricense* 19: 25-30.
776. Solís-Ramos LY, Andrade-Torres A, Polo-Marcial MH, Romero-Ceciliano M, Coto López C, Ávila-Arias C, Rojas-Jiménez K. 2023. Arbuscular Mycorrhizal Fungi Colonization of *Jatropha curcas* Roots and Its Impact on Growth and Survival under Greenhouse-Induced Hydric Stress. *Agriculture* 13: 2197. <https://doi.org/10.3390/agriculture13122197>.

777. Sousa JO, Suz LM, García MA, Alfredo DS, Conrado LM, Marinho P, Ainsworth AM, Baseia IG, Martín MP. 2017. More than one fungus in the pepper pot: Integrative taxonomy unmasks hidden species within *Myriostoma coliforme* (Geastraceae, Basidiomycota). PLoS ONE 12: 6. doi: 10.1371/journal.pone.0177873.
778. Souza AGC, Maffia LA. 2011. First report of *Cercospora coffeicola* causing cercospora leaf spot of castor beans in Brazil. Plant Disease 95: 1479.
779. Spaaij F, Weber G, van der Walt JP, Oberwinkler F. 1992. *Myxozyma neotropica* sp. nov. (Candidaceae) - a new yeast species from Costa Rica. Antonie van Leeuwenhoek 62: 261-265.
780. Sparrius L. 2009. Synarthothelium, a new genus in the Arthoniaceae with a thalline exciple, similar to Synarthonia. Bibliotheca Lichenologica 99: 375.
781. Spegazzini C. 1918. Fungi Costaricensis nonulli. Bull Acad de Ciencias, Córdoba 33: 541.
782. Spirin V, Runnel K, Vlasák J, Miettinen O, Pöldmaa K. 2015. Species diversity in the Antrodia crassa group (Polyporales, Basidiomycota). Fungal Biology 119: 1291-1310.
783. Spooner W. 1991. IMI Descriptions of Fungi and Bacteria No. 1081. Mycopathologia 116: 125-127.
784. Stadler M, Flessa F, Rambold G, Peršoh D, Fournier J, Læssøe T, Chlebicki A, Lechat C, Peršoh D. 2010. Chemotaxonomic and phylogenetic studies of *Thamnomycetes* (Xylariaceae). Mycoscience 51: 189-207. <https://doi.org/10.1007/S10267-009-0028-9>.
785. Stadler M, Fournier J, Læssøe T, Lechat C, Tichy HV, Piepenbring M. 2008. Recognition of hypoxylid and xylarioid *Entonaema* species and allied *Xylaria* species from a comparison of holomorphic morphology, HPLC profiles, and ribosomal DNA sequences. Mycol Progress 7: 53-73. DOI 10.1007/s11557-008-0553-5
786. Stchigel AM, Umaña L, Guarro J, Mata M. 2006. Two new ascomycetes from rainforest litter in Costa Rica. Mycologia 98: 815-820.
787. Stępień Ł, Koczyk G, Waśkiewicz A. 2013. Diversity of Fusarium species and mycotoxins contaminating pineapple. Journal of Applied Genetics 54: 367-380.
788. Stevens FL. 1930. Parasitic fungi of British Guiana, Trinidad and Costa Rica. Ann. mycol. 28: 364-371.
789. Stubbe D, Nuytinck J, Verbeken A. 2010. Critical assessment of the *Lactarius gerardii* species complex (Russulales). Fungal Biology 114: 271-283. doi: 10.1016/j.funbio.2010.01.008.
790. Suárez VL, Wright JE. 1996. South American Gasteromycetes V: The genus *Morganella*. Mycologia 88: 655-661. doi: 10.1080/00275514.1996.12026700.
791. Suetrong S, Boonyuen N, Pang KL, Ueapattanakit J, Klaysuban A, Sri-indrasudhi V, Sivichai S, Gareth Jones EB. 2011. A taxonomic revision and phylogenetic reconstruction of the Jahnulales (Dothideomycetes), and the new family Manglicolaceae. Fungal Diversity 51:163-188. DOI 10.1007/s13225-011-0138-5
792. Sullivan R, Bergen MS, Patel R, Bills GF, Alderman SC, Spatafora JW, White JF. 2001. Features and phylogenetic status of an Enigmatic clavicipitalean fungus *Neoclaviceps monostipa* gen. et sp. nov. Mycologia 93: 90-99.
793. Sullivan RF, Bills GF, Hywel-Jones NL, White JF. 2000. *Hyperdermium*: a new clavicipitalean genus for some tropical epibionts of dicotyledonous plants. Mycologia, 92: 908-918.
794. Sun JZ, Liu XZ, McKenzie EHC, Jeewon R, Liu JK, Zhang XL, Zhao Q, Hyde KD. 2019. Fungicolous fungi: terminology, diversity, distribution, evolution, and species checklist. Fungal Diversity 95: 337-430. <https://doi.org/10.1007/s13225-019-00422-9>
795. Sydow H. 1925. Fungi in itinere Costaricensi collecti. Pars prima. Annales Mycologici 23 (3-6): 308-429.
796. Sydow, H. 1926. Fungi in itinere Costaricensi collecti. Pars secunda. Annales Mycologici 24 (5-6): 283-426.
797. Sydow, H. 1927. Fungi in itinere Costaricensi collecti. Pars tertia. Annales Mycologici 25 (1-2): 1-160
798. Sydow, H. 1928. Fungi in itinere Costaricensi collecti. Additamentum. Annales Mycologici 26: 127-131.
799. Sydow, H.; Petrak, F. (1929). Fungi Costaricensis a cl. Prof. Alberto M. Brenes collecti. Annales Mycologici 27 (1-2): 1-86.
800. Sydow, H.; Petrak, F. (1937). Fungi costaricensis a cl. Prof. Alberto M. Brenes collecti. Series secunda. Annales Mycologici 35: 73-97

801. Tavares II, Seidl MT, Tang H-C. 1997. Fungal and lichenological types in the University Herbarium, University of California at Berkeley (UL) a partial listing. *Mycotaxon* 62: 247-288.
802. Tehler A. 1997. *Syncesia* (Arthoniales, Euascomycetidae). *Flora Neotropica Monograph* 74: 1-49. Botanical Garden, New York.
803. Thorpe DJ, Harrington TC, Uchida JY. 2005. Pathogenicity, internal transcribed spacer-rDNA variation, and human dispersal of *Ceratocystis fimbriata* on the family Araceae. *Phytopathology* 95: 316-323. <https://doi.org/10.1094/PHYTO-95-0316>
804. Tibell L. 1982. Caliciales of Costa Rica. *The Lichenologist* 14: 219-254.
805. Tibell L. 1996. Caliciales. *Flora Neotropica Monograph* 69: 1-78. Botanical Garden, New York.
806. Torres JM, Spielmann A, Aptroot A, Cardoso K, Honda N. 2020. The lichen genus *Schistophoron* Stirt. (Ascomycetes, Graphidaceae) in Brazil with a world key to the species. *Cryptogamie, Mycologie* 41: 210-217.
807. Trierveiler-Pereira L, Baseia IG. 2009. Revision of the Herbarium URM IV. Nidulariaceae (Basidiomycota). *Nova Hedwigia* 89: 361-369. doi: 10.1127/0029-5035/2009/0089-0361.
808. Trierveiler-Pereira L, Wilson AW, Silveira RB, Domínguez LS. 2013. Costa Rican gasteromycetes (Basidiomycota, Fungi): Calostomataceae, Phallaceae and Protophallaceae. *Nova Hedwigia* 96: 533-544.
809. Tulloss RE, Halling RE, Mueller GM. 2011. Studies in *Amanita* (Amanitaceae) of Central America. 1. Three new species from Costa Rica and Honduras. *Mycotaxon* 117: 165-202.
810. Tuthill DE, Frisvad JC. 2004. A new species from tropical soils, *Eupenicillium tropicum*. *Mycological Progress* 3: 13-18.
811. Umaña L, Sipman HJM, Lücking R. 2002. Preliminary Checklist of Lichens from Costa Rica. Version 1.2. Recuperado de <http://archive.fieldmuseum.org/ticolichen/checklist.html>.
812. Umaña Rojas G, Sancho G, Arauz LF. 1985. Combate químico de la pudrición café causada por *Monilina* sp. en melocotón (*Prunus persica* cv. "Big Boston") en Fraijanes, Alajuela. *Agronomía Costarricense* 9: 127-133.
813. Úrbez-Torres JR, Castro-Medina F, Mohali SR, Gubler WD. 2016. Botryosphaeriaceae species associated with cankers and dieback symptoms of *Acacia mangium* and *Pinus caribaea* var. *hondurensis* in Venezuela. *Plant Disease* 100: 2455-2464.
814. Uribe L, Arauz LF, Mata M, Meneses G, Castro L. 2009. Efecto del vermicompostaje sobre las poblaciones de *Colletotrichum acutatum* y *Pectobacterium carotovorum* presentes en residuos de plantas. *Agronomía Costarricense* 33: 91-101.
815. Uribe-Lorío L, Castro-Barquero L, Arauz-Cavallini F, Henríquez-Henríquez C, Blanco-Meneses M. 2014. Pudrición basal causada por *Phytophthora capsici* en plantas de Chile tratadas con vermicompost. *Agronomía Mesoamericana* 25: 243-253.
816. Vadthananat S, Amalfi M, Halling RE, Bandala V, Lumyong S, Raspé O. 2019. Two new *Erythrophylloporus* species (Boletaceae) from Thailand, with two new combinations of American species. *Mycology* 55: 29-57.
817. Valentín Torres S, Vargas MM, Godoy-Lutz G, Porch TG, Beaver JS. 2016. Isolates of *Rhizoctonia solani* can produce both web blight and root rot symptoms in common bean (*Phaseolus vulgaris* L.). *Plant Disease* 100: 1351-1357.
818. Valerín AT, Carranza J. 1987. Hongos asociados a la semilla de pejibaye (*Bactris gasipaes* HBK). *Agronomía Costarricense* 11: 127-130.
819. Valle-Torres J, Ross TJ, Plewa D, Avellaneda MC, Check J, Chilvers MI, Cruz AP, Dalla Lana F, Groves C, Gongora-Canul C, Henriquez-Dole L, Jamann T, Kleczewski N, Lipps S, Malvick D, McCoy AG, Mueller DS, Paul PA, Puerto C, Cruz CD. 2020. Tar spot: an understudied disease threatening corn production in the Americas. *Plant Disease* 104: 2541-2550. <https://doi.org/10.1094/PDIS-02-20-0449-FE>
820. Valverde E, Sáenz MV. 1989. Estudios preliminares sobre la conservación de la fruta de chayote (*Sechium edule*) después de la cosecha. *Agronomía Costarricense* 13: 25-33.
821. Van Brummelen J. 1967. A world monograph of the genera *Ascobolus* and *Saccobolus* (Ascomycetes, Pezizales). *Persoonia* 1: 1-291.
822. Van den Broeck D, Frisch A, Razafindrahaja T, Van de Vijver B, Ertz D. 2018. Phylogenetic position of *Synarthonia* (lichenized Ascomycota, Arthoniaceae), with the description of six new species. *Plant Ecology and Evolution* 151: 327-351.
823. Van Der Waals JE, Korsten L, Slippers B. 2004. Genetic diversity among *Alternaria solani* isolates from potatoes in South Africa. *Plant Disease* 88: 959-964. <https://doi.org/10.1094/PDIS.2004.88.9.959>
824. van Wyk M, Wingfield BD, Wingfield MJ. 2011. Four new *Ceratocystis* spp. associated with wounds on *Eucalyptus*, *Schizolobium* and *Terminalia* trees in Ecuador. *Fungal Diversity* 46: 111-131. DOI 10.1007/s13225-010-0051-3

825. Vánky K. 1991. Taxonomical studies on Ustilaginales. VII. Mycotaxon 40:157–168
826. Vánky K. 1992. Taxonomical studies on Ustilaginales. IX. Mycotaxon 43:417–425.
827. Varga J, Frisvad JC, Samson RA. 2010. Polyphasic taxonomy of *Aspergillus* section *Sparsi*. IMA Fungus 1: 187-195.
828. Varga J, Frisvad JC, Samson RA. 2012. *Aspergillus* sect. *Aeni* sect. nov., a new section of the genus for *A. karnatakaensis* sp. nov. and some allied fungi. IMA Fungus 1: 197-205.
829. Vargas E. 1984. Interacción de tratamiento biológico y químico en el combate del ojo de gallo (*Mycena citricolor*) en el café. Agronomía Costarricense 8: 91-97.
830. Vargas E. 1988. La vejiga del fruto, una nueva enfermedad de chayote (*Sechium edule* L.). Agronomía Costarricense 12: 123-126.
831. Vargas R, Ramírez C. 1983. Combate biológico del mal del talluelo causado por *Rhizoctonia solani* en algodón. Agronomía Costarricense 7: 73-75.
832. Vargas R. 1991. Combate de *Corticium* en tomate y *Fusarium* en fresa mediante el uso de microorganismos antagonistas y/o hongos endomicorrizógenos (MVA). Agronomía Costarricense 15: 1-6.
833. Vargas-González E. 1977. La mancha angular blanca, una nueva enfermedad del pepino (*Cucumis sativus* L.) causada por *Chuppia* sp. Agronomía Costarricense 1: 65-66.
834. Vielba-Fernández A, de Vicente A, Pérez-García A, Fernández-Ortuño D. 2019. First report of powdery mildew elicited by *Erysiphe diffusa* on papaya (*Carica papaya*) in Spain. Plant Disease 103: 2477. <https://doi.org/10.1094/PDIS-03-19-0627-PDN>
835. Vieto S, Escudero-Leyva E, Avendaño R, Rehnitz N, Barrantes-Madrigal MD, Conejo-Barboza G, Herrera-Sancho OA, Chaverri P, Chavarría M. 2022. Biodeterioration and cellulolytic activity by fungi isolated from a nineteenth-century painting at the National Theatre of Costa Rica. Fungal Biology 126: 101-112. <https://doi.org/10.1016/j.funbio.2021.11.001>.
836. Visagie CM, Houbraken J, Rodrigues C, Silva Pereira C, Dijksterhuis J, Seifert K, Jacobs K, Samson RA. 2013. Five new *Penicillium* species in section *Sclerotiora*: a tribute to the Dutch Royal family. Persoonia 31: 42–62. <http://dx.doi.org/10.3767/003158513X667410>
837. Vlasák J, Vlasák J Jr, Ryvarden L. 2020. Studies in Neotropical polypores 46 Some new and noteworthy polypores from Costa Rica. Synopsis Fungorum 42: 30-33.
838. Vlasák J, Vlasák J Jr. 2017. *Trichaptum* (Basidiomycota) in tropical America: a sequence study. Mycosphere 8(6): 1217–1227. doi: 10.5943/mycosphere/8/6/8.
839. Wagner T, Fischer M. 2002. Proceedings towards a natural classification of the worldwide taxa *Phellinus* s. l. and *Inonotus* s. l., and phylogenetic relationships of allied genera. Mycologia 94: 998-1016.
840. Wagner T, Ryvarden L. 2002. Phylogeny and taxonomy of the genus *Phylloporia* (Hymenochaetales). Mycol Progress 1: 105-116.
841. Wang C-G, Vlasák J, Dai Y-C. 2021. Phylogeny and diversity of *Bjerkandera* (Polyporales, Basidiomycota), including four new species from South America and Asia. MycoKeys 79: 149–172. <https://doi.org/10.3897/mycokeys.79.63908>.
842. Wang XH, Halling RE, Hofstetter V, Lebel T, Buyck B. 2018. Phylogeny, biogeography and taxonomic re-assessment of *Multifurca* (Russulaceae, Russulales) using three-locus data. PLoS ONE 13: 1-33. doi: 10.1371/journal.pone.0205840.
843. Ward JM, Stromberg EL, Nowell DC, Nutter FW Jr. 1999. Gray leaf spot: a disease of global importance in maize production. Plant Disease 83: 884-895.
844. Weber G, Spaaij F, Gams W. 1994. *Ticogloea*, a new genus of hyphomycetes from roots of *Ticodendron incognitum* from Costa Rica. Mycol. Res. 98: 660-664.
845. Welden AL. 1996. Colombian and Costa Rican species of stipitate stereoid fungi. Rev Biol Trop 44(Suppl. 4): 91-102.
846. Werckle C. 1902. Hongos comestibles de Costa Rica. Bol Inst Fís Geog de Costa Rica 24: 298-301.
847. Wijayawardene NN, Hyde KD, Wanasinghe DN, et al. 2016. Taxonomy and phylogeny of dematiaceous coelomycetes. Fungal Diversity 77: 1–316. DOI 10.1007/s13225-016-0360-2
848. Wolfe CB Jr, Bougher NL. 1993. Systematics, mycogeography, and evolutionary history of *Tylopilus* subg. *Roseoscabra* in Australia elucidated by comparison with Asian and American species. Aust Syst Bot 6: 187-213.

849. Wu F, Zhou LW, Dai YC. 2016. *Neomensularia duplicata* gen. et sp. nov. (Hymenochaetales, Basidiomycota) and two new combinations. *Mycologia* 108: 891-898.
850. Wu F, Zhou LW, Vlasák J, Dai YC. 2022. Global diversity and systematics of Hymenochaetaceae with poroid hymenophore. *Fungal Diversity* 113: 1–192. <https://doi.org/10.1007/s13225-021-00496-4>.
851. Wu G, Zhao K, Li Y, Zeng N, Feng B, Halling RE, Yang ZL. 2015. Four new genera of the fungal family Boletaceae. *Fungal Diversity* 81: 1-24. doi: 10.1007/s13225-015-0322-0.
852. Wyenandt CA, Simon JE, Pyne RM, Homa K, McGrath MT, Zhang S, Madeiras A. 2015. Basil downy mildew (*Peronospora belbahrii*): discoveries and challenges relative to its control. *Phytopathology* 105: 885-894.
853. Xavier LFS, Poletine JP, Gonçalves-Vidigal MC, Valentini G, Pastor-Corrales MA. 2021. Characterization of diversity in *Colletotrichum lindemuthianum* in Paraná, Brazil, suggest breeding strategies for anthracnose resistance in common bean. *European Journal of Plant Pathology* 160: 757-770.
854. Xia JW, Sandoval-Denis M, Crous PW, Zhang XG, Lombard L. 2019. Numbers to names – restyling the *Fusarium incarnatum-equiseti* species complex. *Persoonia* 43: 186 – 221.
855. Xu F, LoBuglio KF, Pfister DH. 2019. On the co-occurrence of species of *Wynnea* (Ascomycota, Pezizales, Sarcoscyphaceae) and *Armillaria* (Basidiomycota, Agaricales, Physalacriaceae). *Fungal Systematics and Evolution* 4: 1-12.
856. Yanar Y, Miller SA. 2003. Resistance of pepper cultivars and accessions of *Capsicum* spp. to *Sclerotinia sclerotiorum*. *Plant Disease* 87: 303-307.
857. Yáñez-Morales MJ, Braun U, Minnis AM, Tovar-Pedraza JM. 2009. Some new records and new species of powdery mildew fungi from Mexico. *Schlechtendalia* 19: 47– 61.
858. Yurchenko E, Riebesehl J, Langer E. 2017. Clarification of *Lyomyces sambuci* complex with the descriptions of four new species. *Mycol Progress* 16: 865-876.
859. Zhang J, Bruton BD, Biles CL. 1997. Polygalacturonase isozymes produced by *Phomopsis cucurbitae* in relation to postharvest decay of cantaloupe fruit. *Phytopathology* 87: 1020-1025.
860. Zhou LW, Ji XH, Vlasák J, Dai YC. 2018. Taxonomy and phylogeny of *Pyrrhoderma*: a redefinition, the segregation of *Fulvoderma*, gen. nov., and identifying four new species. *Mycologia* 110: 872-889. doi: 10.1080/00275514.2018.1474326.
861. Zhou LW, Vlasák J, Dai YC. 2016. Taxonomy and phylogeny of *Phellinidium* (Hymenochaetales, Basidiomycota): A redefinition and the segregation of *Coniferiporia* gen. nov. for forest pathogens. *Fungal Biology* 120: 988-1001.
862. Zhou LW, Vlasák J, Decock C, Assefa A, Stenlid J, Abate D, Wu SH, Dai YC. 2016. Global diversity and taxonomy of the *Inonotus linteus* complex (Hymenochaetales, Basidiomycota): *Sanghuangporus* gen. nov., *Tropicoporus excentrodendri* and *T. guanacastensis* gen. et spp. nov., and 17 new combinations. *Fungal Diversity* 77: 335-347.
863. Zhou M, Wang L, May TW, Vlasák J, Chen JJ, Dai YC. 2019. Phylogeny and diversity of *Haploporus* (Polyporaceae, Basidiomycota). *MycKeys* 54: 77–98. doi: 10.3897/mycokeys.54.34362.
864. Zummo N, Gourley LM, Trevathan LE, Gonzalez MS, Dahlberg J. 1998. Occurrence of ergot (sugary disease) incited by a *Sphacelia* sp. on sorghum in Mississippi in 1997. *Plant Disease* 82: 590.
865. Zúñiga D, Vargas E, Umaña G. 1987. Diagnóstico y aspectos preliminares de la epidemiología de las pudriciones del fruto de la macadamia (*Macadamia integrifolia*) en Turrialba. *Agronomía Costarricense* 12: 45-51.